



Easy to use, easy to fit and easy on the eye, Dual is a multi-tasking thermostatic shower that, thanks to its clever design, quality build and two shower heads,

really does do it all.

From family bathroom to compact cloakroom, Dual, with its range of flexible, carefully considered features can't fail to disappoint. A drencher style, main shower head makes for luxurious, indulgent showering, whilst, for speed or a quick splash, it's hard to beat the secondary shower head. With Dual's integrated diverter, it's easy to switch between the two, as well.

Built to last, Dual's solid, brass-bodied thermostatic valve delivers perfect flow and temperature. The ideal upgrade to an existing bar valve shower, Dual is straightforward to retrofit and is compatible with most standard sized shower enclosures.







The adjustable height handset

The 220mm drencher head provides a luxurious soak

Two heads are better than one

Dual combines a contemporary 220mm overhead drencher head and a handset with easy-click spray control that delivers three well defined spray patterns.







inner

Easy to use

The solid, brass-bodied exposed valve has temperature and flow control and an integrated diverter that switches flow between shower heads, delivering perfectly blended flow and temperature every time.

Easy to choose

The 'do it all', multi-functional shower that has the flexibility and looks for the modern family bathroom. With Dual you can have a luxurious all over drencher shower, a more focused, invigorating shower and you can even clean down the shower enclosure or bath with the handy, adjustable height handset – the choice is yours.



Easy to fit

Dual's inlet centres are a universal 150mm meaning Dual is an ideal upgrade to any bar valve with 150mm centres already fitted.

With new installations, for installer flexiblity, adjustable inlet pipe work connections are provided allowing pipe centre adjustment of between 130-170mm.



Exposed thermostatic bar valve with integrated diverter, flow and temperature control

Dual features

- High quality, brass bodied construction
- Large 220mm drencher shower head
- Additional adjustable height handset with a choice of three spray patterns and easy-click spray control
- Integral diverter, temperature and flow control
- Contemporary, easy clean smooth shower hose
- Rub clean nozzles on shower heads
- Suitable for High Pressure, Combination Boiler and Boosted Gravity systems
- Ideal for over-bath installations
- 130-170mm adjustable inlet pipe fittings provided for new installations
- 5 year manufacturer's guarantee

Dual's thoughtful accessories include:

- Deeper formed riser rail, which can be fitted comfortably in larger enclosures and is ideal for use over a bath
- 40mm controller levers great for users who need α little extra grip


An easy retrofit

Dual is easy to install and the perfect choice for new and retrofit installations.

Dual is the ideal upgrade for an existing mixer valve with 150mm centres, such as the Mira Coda.



- Remove the existing valve and shower kit.
- If required, fit new cover plates then connect the Dual valve.





Attach the shower 4

no mess, no fuss... simple!



thermostatic mixer shower with fixed and adjustable heads

- (1) 220mm fixed drencher head
- (2) Fixed head arm
- (3) Contemporary multi-mode handset
- (4) Rub clean nozzles
- (5) Easy-click spray control
- (6) Adjustable height handset holder
- (7) Anti-twist hose connecter
- (8) Thermostatic shower valve with integrated diverter control
- 9 Smooth chrome shower hose

DUAL001

thermostatic mixer shower with fixed and adjustable heads

£475.00

(£570.00 inc VAT)*

OPTIONAL - 658801


40mm controller levers (pair)

£7.50



 $^{^{\}ast}$ Prices correct at time of print, VAT is quoted at 20 %

The company reserves the right to alter, change or modify the product specifications without prior warning. Please refer to the installation guides for technical information. Registered Trademark Aqualisa Products Limited.



Aqualisa Products Limited The Flyer's Way Kent TN16 1DE

Installer hotline: +44 (0)1959 560010 Brochure request line: +44 (0)800 652 3669 Website: www.aqualisa.co.uk Email: enquiries@aqualisa.co.uk

