


ilux<sup>®</sup>

ilux: intelligent luxury



ilux Bath



ilux Shower

Perfect temperatures, flow and fill. That's what takes a bath beyond the ordinary or makes a shower simply sensational. Created and customised by you, with ilux you're in control every step of the way. There's no need for guesswork. Simply the best baths and showers the way you like them. Intelligent luxury, every time, for everyone.



ilux Shower: invigorate your senses



ilux concealed with adjustable height oval head



ilux exposed with adjustable height round head



ilux concealed with fixed head and pencil hand shower

From an eco shower to a deluge, pre-programmed or spontaneous, the intelligence of ilux allows you choose the shower to suit your mood with the touch of a button. This shower's clever illuminated control even shows you when it's time to step in – so, no need to keep checking the temperature, just keep an eye on the lighting display, and when it stops oscillating, you know it's time to step in. The advanced technology means you don't even have to be in the bathroom. The remote control can be placed anywhere up to 10 metres from the shower, so you can switch it on and step into your selected pre-set shower when you are ready. And to top it all, ilux is modular, so you can choose from its stunning range to customise and create your perfect bathroom.



ilux Bath: indulge your soul



ilux Bath with deck mounted spout



ilux Bath with iluxfill



hand shower set

With ilux, you can control the temperature you bathe at, as well as how deep your tub gets. With three programmable pre-sets it's entirely up to you whether you enjoy an indulgent, luxurious laze or a quick cool dip. For families, there's a child-locking function which will disable the controls for extra peace of mind. With ilux's 'fill and forget' option there's no need to worry about an accidental overflow. Plus, run out of hot water and ilux will switch off, saving you from jumping into a cold bath. ilux's clever remote technology means that you can programme the controller to suit your needs, locate it conveniently, and activate the bath with the remote. So, switch on whilst you have an extra snuggle in bed, extend an indulgent soak with the 'hot top-up', and as it's resistant to hot, steamy environments, if you lose the remote whilst bathing, it will even float to the surface.

# modular shower options



**IL1003 / IL1004**  
exposed shower and remote control  
(combi & high pressure / gravity\*)  
**223217**  
550mm rail extension



**IL2007**  
550mm shower rail system



**IL1001 / IL1002**  
concealed shower and remote control  
(combi & high pressure / gravity\*)



**IL2008**  
900mm shower rail system



**IL3011**  
round adjustable shower head



**IL3012**  
oval adjustable shower head



**IL3013**  
hand shower

\* gravity processors come with integral pump



**IL4028**  
450mm wall mounted fixed arm



**IL3014**  
smooth 1.5m hose



**IL3015**  
metal 1.5m hose



**IL6029**  
wall mounted hand shower station  
(suitable for use with IL3014 only)



**IL4018**  
ceiling mounted fixed arm



**IL2009**  
brass wall outlet



**IL2010**  
push fit wall outlet



**IL6024**  
diverter



**IL4016**  
300mm round fixed head



**IL6025**  
basin monobloc tap



**IL6026**  
shower remote control



**UL340**  
Ultimate 340 gravity pump  
(for use with IL1001 and IL1003 shower  
systems on LP gravity water systems)

# modular bath options



**IL1005/IL1006**  
concealed bath and remote control  
(combi & high pressure / gravity\*)



**IL5019**  
wall mounted spout



**IL3014**  
smooth 1.5m hose



**IL3015**  
metal 1.5m hose



**IL6027**  
bath remote control



**IL5020**  
deck mounted spout



**IL6024**  
diverter



**IL5023**  
deck mounted hand shower station  
(recommended for use with IL3015)



**IL5030**  
ilux Bath hand shower accessory pack complete  
with flexible fixing station, retractable hose system,  
hand shower and diverter valve (IL6024)



**IL5021**  
iluxfill overflow bath filler  
**477502**  
900mm waste extension kit



**IL2009**  
brass wall outlet



**IL2010**  
push fit wall outlet



**IL3013**  
hand shower



**IL6029**  
wall mounted hand shower station  
(suitable for use with IL3014 only)



**IL6025**  
basin monobloc tap

\* gravity processors come with integral pump

# your ilux bathroom

## How ilux works

At the heart of ilux is the digital processor box. Once the bath or shower selection is made, hot and cold water flow into the processor where it is blended with thermostatic precision before flowing out and into the bath filler or shower head at the temperature and flow selected by the user.

Processor boxes are specific to the water systems of the bathroom, so you can choose one for a high pressure/ combination boiler system or one that comes with an integral pump for gravity systems.

The wireless remote control can also be used to control the bath or shower. It will work up to 10 metres from the control. A low voltage data cable, concealed out of sight, connects the processor to the shower or bath control.

## Locating the processor

The processor box is slimline, compact and smaller than a shoebox. Reflecting the uniqueness of every bathroom, it offers the flexibility to be conveniently sited away from the showering or bathing area in an easily accessible location: under the bath, in the loft, in an airing cupboard, the choice is yours.

Digital processor: Perfectly blends hot and cold water and dispenses it to the shower head at the selected temperature and flow.



Telephone 01959 560000

The Flyer's Way, Westerham, Kent TN16 1DE

Part No 166080 Issue 06 – Aug 10

Copyright © Aqualisa 2008. All rights reserved. No part of this brochure may be reproduced whether by copying or storing in any medium, electronic or otherwise, without the express permission of Aqualisa subject to any contrary provision under the Copyright, Designs and Patents Act 1988. Any unauthorised reproduction of any part of this brochure may lead to a civil claim for damages or criminal prosecution.

The company reserves the right to alter, change or modify the product specifications without prior warning. Please refer to the installation guides for technical information. Registered Trademark Aqualisa Products Limited. Please note that calls may be recorded for quality purposes.