



Stone Slips & Hearths

For use with Riva2 800

Installation and Maintenance Instructions

For Use in Great Britain and Republic of Ireland (GB & IE)

IMPORTANT

Please read the instructions carefully before installing the surround.
Keep them safe for future maintenance.


PRE-INSTALLATION INSTRUCTIONS

1. RIVA2 800 GENERAL REQUIREMENTS


IMPORTANT NOTICE

The following must be checked prior to installation of Stone Slips, Hearths and Mantels.

- 1.1 It is essential the Riva2 800 gas product is installed following the 'Edge' installation method. For details refer to the main Riva2 installation instructions PR1070. This method will leave the foremost edge of the appliance flush with the front finished face of the fireplace enclosure, See Diagram 1.



- 1.2 It is essential to ensure that a height of 150mm from the finished floor to the bottom edge of the appliance viewing area is maintained, See Diagram 2.



2. GENERAL

- 2.1 **Caution** - these materials are heavy. Use suitable lifting equipment when moving the packed surround and two people to lift each part during unpacking and assembly.
- 2.2 It is important to refer to the installation section of the Gas appliance Instruction manual before proceeding with the installation of the surround.

IMPORTANT NOTICE: When handling the stone surrounds, take care to lift carefully and hold in the middle of the pieces to avoid putting unnecessary strain on the joins prior to installation.

INSTALLATION INSTRUCTIONS

1. INSTALLATION

- 1.1 Centralise the hearth to the centre line of the gas product.
- 1.2 Bond the slips to the wall using a suitable adhesive to a maximum depth of 30mm.
NOTE: The rebate in the mantel is 30mm.


It is important to ensure the 861mm width dimension is achieved for the vertical slips, see Diagram 3.

This will guarantee a slight overlap of the slips on the steel edge of the appliance. Make sure the polished faces and edges are visible and surround the product correctly.

- 1.3 Refer to the Stone Mantel Installation Instructions (PM238) and fix the back of the Stone Mantel to the slip and wall face.

2. CLEANING

- 2.1 Cleaning the Hearth and Slip set:
Use a damp, soft cloth to clean the surface.
Do not use any cleaning agents.



Gazco Limited, Osprey Road, Sowton Industrial Estate, Exeter, Devon, England EX2 7JG
Tel: Technical Customer Services (01392) 261950 Fax: (01392) 261951
E-mail: technicalservices@gazco.com

A member of the Stovax Group