

SAFETY DATA SHEET



Cookson Electronics ASSEMBLY MATERIALS

Water Hawk 400g

1. Identification of the preparation and of the company

Product name : Water Hawk 400g**Code** : 61023**Head Office** : **Cookson Electronics**
Forsyth Road
Sheerwater
Woking
Surrey
England
GU21 5RZ
Tel: +44(0)1483 758400
Fax: +44(0)1483 728837**Manufacturer** : Cookson Electronics
Forsyth Road
Sheerwater
Woking
Surrey
England
GU21 5RZ
Tel: +44(0)1483 758400
Fax: +44(0)1483 728837**Contact person** : shosken@cooksonelectronics.com**Material uses** : Sealants

2 Hazards identification

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Not classified.**Skin contact** : Slightly hazardous by the following route of exposure: of skin contact (irritant).**Toxicity data** : Not available.

See section 11 for more detailed information on health effects and symptoms.

3 Composition/information on ingredients

Substance/preparation : Preparation

| Ingredient name | CAS number | % | EC number | Classification |
|---|------------|----------|-----------|-----------------|
| Europe carbonic acid, calcium salt (1:1) See section 16 for the full text of the R-phrases declared above | 471-34-1 | 80 - 100 | 207-439-9 | Not classified. |

Occupational exposure limits, if available, are listed in section 8.

The classifications listed, indicate the potential hazards of the ingredients

4. First-aid measures

First-aid measures

- Inhalation** : Get medical attention if symptoms occur. If unconscious, place in recovery position and get medical attention immediately.
- Ingestion** : Wash out mouth with water. Keep person warm and at rest. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

Date of issue : 23/09/2010.

1/6

4. First-aid measures

Notes to physician : No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See section 11 for more detailed information on health effects and symptoms.

5. Fire-fighting measures

Extinguishing media

Suitable : Use an extinguishing agent suitable for the surrounding fire.

Not suitable : None known.

Special exposure hazards : No specific fire or explosion hazard.
Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Hazardous combustion products : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
metal oxide/oxides

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions : Keep unnecessary personnel away. Use suitable protective equipment (section 8).

Environmental precautions : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Large spill : Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Small spill : Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

7. Handling and storage

Handling : Put on appropriate personal protective equipment (see section 8). Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container.

Storage : Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Packaging materials

Recommended : Use original container.

8. Exposure controls/personal protection

Exposure limit values

8. Exposure controls/personal protection

| <u>Ingredient name</u> | <u>Occupational exposure limits</u> |
|---|--|
| Europe carbonic acid, calcium salt (1:1) | ACGIH TLV (United States, 1/2006). TWA: 10 mg/m ³ 8 hour(s). |
| Sweden No exposure limit value known. | |
| Denmark No exposure limit value known. | |
| Norway No exposure limit value known. | |
| France carbonic acid, calcium salt (1:1) | INRS (France, 6/2006). Notes: indicative exposure limits TWA: 10 mg/m ³ 8 hour(s). |
| Netherlands carbonic acid, calcium salt (1:1) | Nationale MAC-lijst (Netherlands, 1/2004). Notes: TGG: 10 mg/m ³ 8 hour(s). Form: All forms |
| Germany No exposure limit value known. | |
| Finland Limestone | Työterveyslaitos, Sosiaali- ja terveysministeriö (Finland, 8/2007). TWA: 10 mg/m ³ 8 hour(s). |
| United Kingdom (UK) Limestone | EH40/2005 WELs (United Kingdom (UK), 8/2007). TWA: 10 mg/m ³ 8 hour(s). Form: inhalable dust TWA: 4 mg/m ³ 8 hour(s). Form: respirable dust |
| Austria No exposure limit value known. | |
| Switzerland Limestone | SUVA (Switzerland, 1/2007). TWA: 3 mg/m ³ 8 hour(s). Form: respirable dust |
| Belgium Limestone | Lijst Grenswaarden / Valeurs Limites (Belgium, 6/2007). TWA: 10 mg/m ³ 8 hour(s). |
| Spain carbonic acid, calcium salt (1:1) | INSHT (Spain, 1/2006). TWA: 10 mg/m ³ 8 hour(s). |
| Turkey Limestone | NIOSH REL (United States, 6/2008). TWA: 5 mg/m ³ 10 hour(s). Form: Respirable fraction TWA: 10 mg/m ³ 10 hour(s). Form: Total |
| Czech Republic Limestone | 178/2001 (Czech Republic, 12/2007). TWA: 10 mg/m ³ 8 hour(s). Form: dust |
| Ireland Limestone | NAOSH (Ireland, 8/2007). OELV-8hr: 10 mg/m ³ 8 hour(s). Form: inhalable dust OELV-8hr: 4 mg/m ³ 8 hour(s). Form: respirable dust |
| Italy No exposure limit value known. | |
| Estonia | |

8. Exposure controls/personal protection

| | |
|-----------------------------------|---|
| Limestone | Sotsiaalminister (Estonia, 10/2007). TWA: 5 mg/m ³ 8 hour(s). Form: inhalable dust TWA: 10 mg/m ³ 8 hour(s). |
| Lithuania | |
| No exposure limit value known. | |
| Slovakia | |
| Limestone | Nariadenie Vlády Slovenskej republiky (Slovakia, 6/2007). TWA: 10 mg/m ³ 8 hour(s). Form: total compact aerosols |
| Hungary | |
| Limestone | EüM-SzCsM (Hungary, 12/2007). TWA: 10 mg/m ³ 8 hour(s). |
| Poland | |
| carbonic acid, calcium salt (1:1) | Ministra Pracy I Polityki Społecznej (Poland, 10/2005). TWA: 10 mg/m ³ 8 hour(s). Form: Dusts |
| Slovenia | |
| No exposure limit value known. | |
| Latvia | |
| carbonic acid, calcium salt (1:1) | LV Nat. Standardisation and Meterological Centre (Latvia, 11/2004). TWA: 6 MG/M3 8 hour(s). |
| Greece | |
| Limestone | PD 90/1999 (Greece, 8/2007). TWA: 10 mg/m ³ 8 hour(s). Form: inhalable fraction TWA: 5 mg/m ³ 8 hour(s). Form: respirable fraction |
| Portugal | |
| Limestone | Instituto Português da Qualidade (Portugal, 3/2007). TWA: 10 mg/m ³ 8 hour(s). |

Recommended monitoring procedures : Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

Exposure controls

- Occupational exposure controls** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Respiratory protection** : Recommended:None assigned.
- Hand protection** : Recommended: disposable vinyl
- Eye protection** : Recommended:None assigned.
- Skin protection** : Recommended:None assigned.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

General information

Appearance

| | |
|----------------|------------------|
| Physical state | : Solid. [paste] |
| Colour | : White. |
| Odour | : Mild |

Important health, safety and environmental information

| | |
|------------------|---|
| Relative density | : 1 |
| Solubility | : Insoluble in the following materials: cold water and hot water. |
| VOC content | : 0 % (w/w) [ISO % 11890-2] |

10. Stability and reactivity

| | |
|----------------------------------|--|
| Stability | : The product is stable. |
| Conditions to avoid | : No specific data. |
| Materials to avoid | : No specific data. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

11. Toxicological information

Potential acute health effects

| | |
|--------------|---|
| Inhalation | : No known significant effects or critical hazards. |
| Ingestion | : No known significant effects or critical hazards. |
| Skin contact | : No known significant effects or critical hazards. |
| Eye contact | : No known significant effects or critical hazards. |

Acute toxicity

Over-exposure signs/symptoms

| | |
|---------------|---|
| Target organs | : Contains material which may cause damage to the following organs: upper respiratory tract, skin, eye, lens or cornea. |
|---------------|---|

12. Ecological information

Aquatic ecotoxicity

Biodegradability

| | |
|-----------------------|--|
| Other adverse effects | : No known significant effects or critical hazards. |
| AOX | : The product does not contain organically bound halogens which could lead to an AOX value in waste water. |

13. Disposal considerations

| | |
|---------------------|---|
| Methods of disposal | : The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. 16 03 04 inorganic wastes other than those mentioned in 16 03 03 |
| Hazardous waste | : Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC. |

14. Transport information

International transport regulations

| Regulatory information | UN number | Proper shipping name | Classes | PG* | Label | Additional information |
|------------------------|----------------|----------------------|---------|-----|-------|------------------------|
| ADR/RID Class | Not regulated. | - | - | - | | - |
| IMDG Class | Not regulated. | - | - | - | | - |
| IATA Class | Not regulated. | - | - | - | | - |

PG* : Packing group

15. Regulatory information

EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Risk phrases : This product is not classified according to EU legislation.

Safety phrases : S37- Wear suitable gloves.

Product use : Consumer applications, Industrial applications.

Germany

Hazard class for water : 3 Appendix No. 4

Technical instruction on air quality control : TA-Luft Number 5.2.1: 81.6%

Italy

Emission control directive : Not classified.

16. Other information

History

Date of printing : 20/07/2011.

Date of issue : 23/09/2010.

Date of previous issue : 29/07/2010.

Version : 6

Prepared by : Simon Hosken
Environmental, Health and Safety Manager

☑ Indicates information that has changed from previously issued version.

References

The Health and Safety At Work Act 1974, section 6.

Control of Substances Hazardous to Health (CoSHH) Regulations 2002 and its amendments.

Preparation contains solely TSCA and REACH 1907/2006 listed substances.

This safety data sheet has been prepared in accordance with the requirements of the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 which implement EC Directives 1999/45/EC and 2001/58/EC and their amendments.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue : 23/09/2010.

6/6