

Halstead Part No: 951511 Halstead Description: Cleanser

Cookson Electronics Supplier: Supplier Reference: Restorer Heavy Duty

Customer(s): Wickes

Customer Reference: 440-101 Wickes Central Heating System Cleanser

Conforms to 91/155/EEC - 2001/58/EC

SAFETY DATA SHEET



Restorer Heavy Duty 4x1LT

Identification of the substance/preparation and of the company/undertaking

Manufacturer

: Restorer Heavy Duty 4x1LT

: 38751

Head Office

: Cookson Electronics Forsyth Road Sheerwater Woking Surrey

England GU21 5RZ Tel: +44(0)1483 758400 Fax: +44(0)1483 728837

Cookson Electronics Assembly Materials Group Ashford Manufacturing Site

Henwood Industrial Estate Hythe Road

Ashford Kent England

TN24 8DH Tel: +44 (0) 1233 610110 Fax: +44 (0) 1233 664323

Material uses

: Water-conditioning agent.

Composition/information on ingredients

Substance/preparation

: Preparation

Chemical name*	CAS no.	%	EC Number	Classification
Europe 1h-benzotriazole	95-14-7	1 - 5	202-394-1	Xn; R22 Xi; R36 R52/53
See section 16 for the full text of the R Phrases declared above				

Occupational Exposure Limit(s), if available, are listed in Section 8

Hazards identification

The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification

: Not classified

Toxicity data

: Slightly hazardous in case of skin contact (irritant)

: Not available.

First aid measures

First-Aid measures

Inhalation

Ingestion

Skin Contact

Eve Contact

- : In all cases of doubt, or when symptoms persist, seek medical attention. Never give
- anything by mouth to an unconscious person.
- : If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Obtain medical attention.

Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately. Loosen tight clothing such as a collar, tie, belt or waistband.

: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before

reuse. Obtain medical attention.

Check for and remove any contact lenses. In case of contact, immediately flush eyes with a copious amount of water for at least 15 minutes. Cold water may be used. Obtain medical attention.

: 15/09/2005. Date of issue

Page: 1/6

^{*} The classifications listed, indecate the potential hazards of the ingredients



Restorer Heavy Duty 4x1LT

5. Fire-fighting measures

Extinguishing media

: Recommended: alcohol resistant foam, CO₂, powders, water spray. Not to be used : waterjet.

Special fire-fighting procedures : Fire-f

: Fire-fighters should wear self-contained positive pressure breathing apparatus (SCBA) and full turnout gear.

Recommendations : Fire will pr

Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard. Appropriate breathing apparatus may be required. Cool closed containers exposed to fire with water. Do not release runoff from fire to sewers or

waterways.

Accidental release measures

Personal Precautions

: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (Section 8).

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains

and sewers.

Environmental precautions and clean-up methods Absorb with an inert material and put the spilled material in an appropriate waste disposal. Finish cleaning by spreading water on the contaminated surface and allow to evacuate through the sanitary system

Note: see section 1 for emergency contact information and section 13 for waste disposal.

7. Handling and storage

Handling

Storage

; Do not ingest. Do not breathe gas/fumes/vapour/spray. Wear suitable protective clothing. If ingested, seek medical advice immediately and show the container or the label.

Hygiene measures

: Wash hands, forearms, and face thoroughly after handling compounds and before eating, smoking, using lavatory, and at the end of day.

· Keen

: Keep container tightly closed. Keep container in a cool, well-ventilated area.

Occupational exposure limits

Packaging materials

Recommended

: Use original container.

8. Exposure controls/personal protection

Engineering measures

Hygiene measures

Ingredient name

- : Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective occupational exposure limits.
- Wash hands, forearms, and face thoroughly after handling compounds and before eating, smoking, using lavatory, and at the end of day.

Europe
Sweden

Denmark

Norway

France

Netherlands

Germany

Finland

United Kingdom (UK)

Date of issue : 15/09/2005. Page: 2/6



Restorer Heavy Duty 4x1LT

propylene alycol

EH40-OES (United Kingdom (UK), 2002). Notes: OES TWA: 10 mg/m³ 8 hour(s). Form: Particulate TWA: 474 mg/m³ 8 hour(s). Form: Sum of vapor and particulates

TWA: 150 ppm 8 hour(s). Form: Sum of vapor and particulates

Where a MEL has been assigned, exposure should be reduced as low as is reasonably praticable and should not exceed the MEL.

Austria

Switzerland

Belgium

Ireland

propylene glycol

NAOSH (Ireland, 1999).
OELV: 10 mg/m³ 8 hour(s). Form: Particulate
OELV: 470 mg/m³ 8 hour(s). Form: Sum of vapor and particulates
OELV: 150 ppm 8 hour(s). Form: Sum of vapor and particulates

Spain

Lithuania

propylene glycol Del Lietuvos Higienos Normos (Lithuania, 12/2001). TWA: 7 mg/m³ 8 hour(s). Form: All forms

Personal protective equipment

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved Respiratory protection

standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hand protection Chemical-resistant, impervious gloves or gauntlets complying with an approved

standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

<1 hour(s) (breakthrough time): disposable vinyl

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or Eye protection

Recommended:Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid

splashes, mists or dusts.

Skin protection Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist before handling this product.

Body: Recommended:Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by

a specialist before handling this product.

Additional Information : Not available.

9. Physical and chemical properties

General information

Appearance

Relative density

Physical state : Liquid. Colour : Amber. Odour : Faint

Important health, safety and environmental information

: 7 (Conc. (% w/w): 100) [Neutral.]

: 100°C (212°F) **Boiling point**

May start to solidify at -0.1°C (31.8°F) based on data for: water. Weighted average: **Melting point**

-24.36°C (-11.8°F) : 1.201 (20°C / 68°F)

: Easily soluble in cold water, hot water. Solubility

: The highest known value is 2.62 (Air = 1) (propylene glycol). Vapor density

15/09/2005 Date of issue Page: 3/6

Issue: 3



Restorer Heavy Duty 4x1LT

: The highest known value is 0.36 (water) Weighted average: 0.22compared to Evaporation rate (butyl

acetate = 1)

(n-BUTYL ACETATE=1)

10. Stability and reactivity

: The product is stable

11. Toxicological information

Acute toxicity

Ingredient name Test LD50 Route Species 560 mg/kg Rat Oral 1h-benzotriazole LD50 500 mg/kg Oral Guinea pig LD50 615 mg/kg Oral Mouse LDLo 450 mg/kg Dermal Rabbit

Local effects

: Slightly hazardous in case of skin contact (irritant). Skin irritation Sensitisation : Slightly hazardous in case of skin contact (sensitiser).

Toxicity data Not available.

Over-exposure signs/symptoms

12. Ecological information

Other adverse effects : No known significant effects or critical hazards.

Disposal considerations

residues; Contaminated

packaging

Methods of disposal; Waste of : The generation of waste should be avoided or minimised wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Waste classification

: Not applicable.

European waste catalogue (EWC)

Hazardous waste

: 16 03 06

To present knowledge of the supplier, this product is not regarded as hazardous waste as defined by

EU Directive 91/689/EC.

14. Transport information

International transport regulations

Regulatory Information	UN number	Proper shipping name	Class	Packing group	Label	Additional Information
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	2	-	-		-
IATA-DGR Class	Not regulated.	-	-	-		-

Date of issue : 15/09/2005. Page: 4/6



Restorer Heavy Duty 4x1LT

15. Regulatory information

EU Regulations

: This product is not classified according to the EU regulations. Risk Phrases

: Classification and labelling have been performed according to EU directives 67/548/EEC, Product use

1999/45/EC, including amendments and the intended use. - Consumer applications, Industrial applications.

Additional warning phrases : Safety data sheet available for professional user on request.

EC Statistical classification : 32089091

(Tariff Code)

National regulations

Denmark

Additional warning phrases : Safety data sheet available for professional user on request.

: Not available. Denmark - Cancer risks

MAL-code

Denmark - Restrictions on : Not available. Statutory order 517 on : Not applicable

Netherlands

K-Klasse : K5

CPR : Not regulated.

SHHR : 0ZZ

Germany

TRGS 900 Other Regulations

Ordinance on combustible : Class: Omitted

liquids Hazard class for water

16. Other information

Full text of R phrases referred to : R22- Harmful if swallowed.

in sections 2 and 3 - Europe

Xi - Irritant

R36- Irritating to eyes.
R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

: Xn - Harmful Full text of classifications

referred to in sections 2 and 3 -

Europe

History

Date of printing : 15/09/2005. Date of issue : 15/09/2005.

Date of previous issue : No Previous Validation.

: 1 Version

: Simon Hosken Prepared by

Environmental, Health and Safety Manager

References

The Health and Safety At Work Act 1974, section 6.
Control of Substances Hazardous to Health (CoSHH) Regulations 2002 and its amendments.

Preparation contains soley TSCA and EINECS listed substances.

This safety data sheet has been prepared in accordance with the requirements of the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 which implement EC Directives 1999/45/EC and 2001/58/EC and their amendments.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

: 15/09/2005. Page: 5/6 Date of issue



Version 1			Page: 6/6
			,
			,