

be inspired with...

AQUALISA

HiQu[®]

including the full HiQu Digital range and the new HiQuXT range

imagine

A reality where showering and bathing
are truly at one with our senses.
Wonderfully invigorating or gently cocooning.
As perceptive as it is luxurious.
As capable of reviving us as of relaxing us.





Sophisticated and contemporary – HiQu Digital makes your dream bathroom a reality

HiQu®

Digital concealed shower

Luxurious good looks combine with the intelligence of digital technology to deliver a shower that is unsurpassed in function, simplicity and performance.

HiQu's beautifully finished metal control features an intuitive, multi-function illuminated display that lets you know at a glance exactly when it's time to step into your shower. And the easy to use flow and temperature controls mean the perfect shower is always at your fingertips.



HiQu Digital's optional remote control makes stepping into chilly showers a thing of the past. The switch can be used from up to 10 metres away and features an LED display so you'll know when it's time to shower.

new




Wake up to a waterfall with HiQu's new 'high flow' wall or ceiling mounted head



HiQu's intuitive controls make adjusting flow and temperature simple

Sensational showering

- Watch the illuminated LED controls rotate and change colour or direction in response to your temperature and flow choices.
- Perfect flow and precise thermostatic temperatures come courtesy of HiQu's advanced digital processor.
- Conserve water by activating the processor's eco mode during installation.
- Tailor the design of your shower – choose from adjustable height, ceiling or wall mounted fixed head systems and team with a range of accessories to suit your needs.
- Switch on from up to 10 metres away with an optional remote control.
- For extra power and performance with gravity water systems use the new Ultimate 340 shower pump.



The easy-flick switch lets you select between 3 luxurious spray patterns.

Spray patterns



inner



outer



combined



HiQu®

Digital exposed shower

Sharing the same sophisticated, sleek features as HiQu Digital concealed, HiQu exposed can be fitted with minimal damage to tiles and décor, making it perfect for bathroom refurbishments or where space is at a premium.

HiQu Digital exposed comes complete with a generously proportioned, height adjustable shower head that with the flick of a switch offers three, easily selected spray patterns and a desirable smooth, silver hose.

Family flexibility

- Sleek and contemporary, HiQu's all-metal control combines ultimate luxury with hi-tech precision.
- HiQu is easy to use. Just keep an eye on the control's LED display and you'll find that HiQu is so intuitive, your shower will be perfect every time, in no time.
- Be safe when you shower. HiQu's factory set maximum temperature limit of 45°C will ensure nothing but peace of mind.
- Eco setting option, selected on your HiQu shower's processor during installation, controls flow and helps you to conserve water.
- Opt for a remote control switch and the LED display will let you know when it's time to shower – from up to 10 metres away!

Spray patterns



inner



outer



combined





Close your eyes, lie back and soak the day away with HiQu's luxurious Digital bath fill

HiQu[®]

Digital bath

Select your preferred bath fill option, full fill, half fill or shallow fill – press the button and soak away the stresses of the day with HiQu.

Sleek and simple to use, HiQu brings sophistication to bathing. Controlled by a compact, remotely sited digital processor, HiQu Bath uses an overflow filler, rather than taps and will fill your tub to just the right level at thermostatically controlled temperatures.



HiQu's slim, stylish hand shower features a retractable hose and sits alongside your bath in its own, unobtrusive fixing station.



An additional hand shower, for washing hair and cleaning, adds versatility

Blissful bathing

- Decide how deep to go with HiQu’s fill selector; choose from full fill, half fill or shallow fill.
- Top up a cooling bath by selecting ‘low flow’ at a hot temperature.
- Fill your bath from up to 10 metres away with HiQu’s optional remote control.
- Accessorise with an additional hand shower – supplied with a diverter valve, fixing station and a retractable hose.
- Enjoy fabulous bathing with an attractive high flow bath filler.



Indulge in beautiful baths every time with HiQu’s perceptive control. Whilst your bath water is warming up, the control’s LED will flash red and rotate in a clockwise direction. Reduce the temperature and blue lights will rotate anti-clockwise.



Rejuvenating, refreshing or relaxing. Whatever your idea is of



the perfect shower or bath, HiQu makes the dream a reality.

HiQu[®]XT

Exposed thermostatic shower and bath shower mixer range

Just one glance at HiQuXT confirms its credentials as a member of the stylish range of HiQu showers and bath shower mixers.

The innovative, ergonomic design of HiQuXT means that it will always rise to the challenge when space is at a premium, whilst its practical construction simplifies and speeds installation – making HiQuXT the perfect choice for new and refurbished bathrooms alike.

- High performance, thermostatic shower and bath shower mixer for high pressure plumbing systems.
- All metal construction, finished in timeless chrome.
- Eco stop flow control for a greener shower.
- Maximum temperature override button makes showering safer.
- Choice of wall or bath mounted fixings for bath shower mixer.
- Height adjustable shower head with extra long riser rail and smooth chrome hose.
- Three perfectly defined spray patterns.
- Clever, anti-twist shower hose mechanism.
- Innovative, optional easy fit fixing bracket allows simpler, quicker shower installation.
- 5 year guarantee.



Use the integrated diverter to switch between thermostatically controlled bathing and showering in a single space – ideal for smaller or secondary bathrooms where you want the best of both worlds. You can choose the bath mounted option, or – for the hotel chic look – accessorise with a wall mount installation kit.



Slim, sleek lines, architectural detail and refined functionality with impressive, perfectly defined spray patterns, to make your showering sensational. Or, for a greener showering experience, use the eco flow stop control.

Spray patterns



inner



outer



combined

HiQu Digital Shower


HiQu Digital Shower

Shower performance is second to none, providing a flow rate range capable of delivering a refreshing spritz, through to an invigorating drench. To conserve water or to ensure it will go further, select the 'eco-mode' on the processor box during installation. For super-quick installations choose an exposed shower which can be installed in as little as two hours with minimal mess and disruption to the bathroom.

HiQu Digital Shower controls

HiQu Shower controls have a luxurious metal finish, and are very simple to use.

They feature animated LEDs to show changes in temperature and flow.



Depth – 35mm
measured from finished wall surface to front of knob

HiQu Digital Bath



One touch start/stop button

Thermostatic temperature control

Depth setting

HiQu Digital Bath

Shallow fill, half fill and full fill selectors are etched onto the HiQu control. A simple start/stop button is all it takes to get your bath running and it stops once it has reached your chosen depth – so you can simply fill... and forget.

An additional feature is the 'top up' option, which allows you to select a low flow top up at the push of a button if your bath is cooling down, or too hot. The latest overflow bath filler delivers your water in a stunning fan tail pattern.

HiQu Digital Bath controls

HiQu Bath features a depth function, which once set, allows you to fill a bath to your chosen depth and preferred temperature with just one touch of a button. As a safety feature, HiQu Bath has a 12 minute maximum run time, to prevent overflow.



Temperature increasing



Temperature decreasing



Programming mode (bath only)



White light flashes while filling to pre-set depth (bath only)



Flow increasing



Flow decreasing



Desired temperature and flow have been reached

Planning your HiQu Digital

Digital bathroom technology brings so many advantages – perfect showers at the touch of a button, baths filled to your chosen depth and warmth, delivering a sensational experience every time.

Intuitive controls feature illuminated displays that show when your desired temperature and flow have been reached. You can even fill your bath or switch on your shower by remote control.



HiQu Digital concealed single outlet configuration with remote control (suitable for HP/Combi water systems)

HiQu Digital Shower

HiQu Digital gives outstanding choice and flexibility, so you can create the bathroom that suits your family and lifestyle. Choose a fixed or adjustable head, or combine with an accessory pack to create a multiple outlet shower.

A data cable connects the HiQu's shower controls to a digital processor, where hot and cold water are perfectly blended and delivered to the shower head at the desired temperature and flow.

The shower controls and optional remote control can each be sited up to 10 metres from the processor. This means that the processor can be placed in the loft, airing cupboard or under the bath, and the remote control can switch on the shower from a convenient location.

Aqualisa Digital Showers are suitable for most approved UK water systems. For homes with gravity water systems choose a Gravity specific shower with integral pump. Performance can be enhanced in a home with a Gravity water system, by adding the powerful Ultimate 340 pump, particularly where a multiple outlet shower is being fitted.



HiQu Digital concealed multiple outlet configuration with Ultimate 340 pump (suitable for Gravity water systems)

bathroom

HiQu Digital Bath

HiQu Digital Bath brings sophistication to bathing, with its simple to use controls and three programmable depth pre-sets, plus an optional remote control which allows you to fill your bath from up to 10 metres away.

Controlled by a compact, remotely sited digital processor, HiQu Bath uses an overflow filler rather than bulky taps and comes with a top up feature to reheat a cooling bath.

For added luxury you can team your digital bath fill with a sleek retractable hand shower.

HiQu Digital processor box options


Driven by Aqualisa's award winning digital technology, HiQu is controlled by a compact processor box which can be located 10 metres from the bathing area in the loft, airing cupboard or under the bath. It controls flow and blends hot and cold water with thermostatic precision, delivering perfect baths and showers every time. Remotely siting the processor box makes access and installation easy, eliminating the need for extensive excavation of the bathroom wall and damage to décor.

HiQu Digital processors are backed up by Aqualisa's 5 year manufacturer's guarantee.

Working with your water system

The correct processor solution for you will depend on the type of water system in your home. Choose from a HP/Combi compatible processor or Gravity compatible processor (with integral pump).

For optimum power, or for multiple outlet configurations using Gravity water systems, you may opt for the extra pressure delivered by the Ultimate 340 pump*, the equivalent of raising a cold water tank in your home 34 metres above your shower head!



HiQu Bath with overflow filler and remote control

HP/Combi – Digital processor



Gravity – Digital processor with integral pump



Gravity Ultimate – Digital processor PLUS Ultimate 340 pump*



* Ultimate 340 pump comes with a 3 year guarantee – compatible with Gravity water systems only

HiQu Digital Shower

| HiQu Digital Shower | | | |
|---|---|--|--|
| | | | |
| <p>HiQu Digital concealed with adjustable height head</p> <p>HP/Combi HQDC1A £702.50 £843.00 inc VAT</p> <p>Gravity* HQDC2A £792.50 £951.00 inc VAT</p> <p>Ultimate Gravity HQDC1A + UL340 £1072.50 £1287.00 inc VAT</p> | <p>HiQu Digital concealed with wall mounted fixed head</p> <p>HP/Combi HQDC1FW £702.50 £843.00 inc VAT</p> <p>Gravity* HQDC2FW £792.50 £951.00 inc VAT</p> <p>Ultimate Gravity HQDC1FW + UL340 £1072.50 £1287.00 inc VAT</p> | <p>HiQu Digital concealed with ceiling mounted fixed head</p> <p>HP/Combi HQDC1FC £702.50 £843.00 inc VAT</p> <p>Gravity* HQDC2FC £792.50 £951.00 inc VAT</p> <p>Ultimate Gravity HQDC1FC + UL340 £1072.50 £1287.00 inc VAT</p> | <p>HiQu Digital exposed with adjustable height head</p> <p>HP/Combi HQDE1A £765.83 £919.00 inc VAT</p> <p>Gravity* HQDE2A £854.17 £1025.00 inc VAT</p> <p>Ultimate Gravity HQDE1A + UL340 £1135.83 £1363.00 inc VAT</p> |

**300mm also available as an accessory

* Gravity processors come with integral pump

| HiQu Digital Shower accessories | | | |
|---|---|--|---|
| | | | |
| <p>HiQu Shower hand shower accessory pack</p> <p>HQSHA £279.17 £335.00 inc VAT</p> | <p>HiQu Shower wall mounted fixed head accessory pack</p> <p>HQFHW £275.00 £330.00 inc VAT</p> | <p>HiQu Shower ceiling mounted fixed head accessory pack</p> <p>HQFHC £275.00 £330.00 inc VAT</p> | <p>HiQu Shower bathfill accessory pack</p> <p>HQBX £202.50 £243.00 inc VAT</p> |

Comprises diverter valve, hand shower, smooth hose, wall fixing station, & wall outlet

Comprises diverter valve, fixed head and arm **300mm also available as an accessory

Comprises diverter valve, fixed head and arm

Comprises diverter valve and overflow filler





HiQu Digital Shower

HiQu Digital Shower – multiple outlet configurations

| | | | |
|---|---|---|--|
|  <p>HP/Combi HQDC1A + HQFHW £977.50 £1173.00 inc VAT</p> <p>Gravity* HQDC2A + HQFHW £1067.50 £1281.00 inc VAT</p> <p>Ultimate Gravity HQDC1A + HQFHW + UL340 £1347.50 £1617.00 inc VAT</p> |  <p>HP/Combi HQDC1A + HQFHC £977.50 £1173.00 inc VAT</p> <p>Gravity* HQDC2A + HQFHC £1067.50 £1281.00 inc VAT</p> <p>Ultimate Gravity HQDC1A + HQFHC + UL340 £1347.50 £1617.00 inc VAT</p> |  <p>HP/Combi HQDC1FW + HQSHA £981.67 £1178.00 inc VAT</p> <p>Gravity* HQDC2FW + HQSHA £1071.67 £1286.00 inc VAT</p> <p>Ultimate Gravity HQDC1FW + HQSHA + UL340 £1351.67 £1622.00 inc VAT</p> |  <p>HP/Combi HQDC1FC + HQSHA £981.67 £1178.00 inc VAT</p> <p>Gravity* HQDC2FC + HQSHA £1071.67 £1286.00 inc VAT</p> <p>Ultimate Gravity HQDC1FC + HQSHA + UL340 £1351.67 £1622.00 inc VAT</p> |
|---|---|---|--|

* Gravity processors come with integral pump

HiQu Digital Shower accessories




| | | | |
|--|--|--|---|
|  <p>HiQu adjustable height shower kit HQKIT £155.00 £186.00 inc VAT</p> |  <p>Ultimate 340 gravity pump UL340 £370.00 £444.00 inc VAT</p> |  <p>HiQu Digital remote control HQDDS £87.50 £105.00 inc VAT</p> |  <p>Diverter valve only HQDIV £130.83 £157.00 inc VAT</p> <p>Exposed rail extension kit 223217 £20.83 £25.00 inc VAT</p> <p>Short (300mm) wall fixed head arm 518202 £70.84 £85.00 inc VAT</p> |
|--|--|--|---|

HiQu Digital Bath

| HiQu Digital Bath | HiQu Digital Bath accessories | | |
|---|--|---|---|
|  <p>HiQu Digital Bath with overflow filler HP/Combi HQDB1X £451.66 £542.00 inc VAT Gravity* HQDB2X £504.16 £605.00 inc VAT</p> |  <p>HiQu Bath hand shower accessory pack HQBHA £597.50 £717.00 inc VAT</p> |  <p>HiQu Digital remote control HQDDS £87.50 £105.00 inc VAT</p> |  <p>Diverter valve only HQDIV £130.83 £157.00 inc VAT</p> |
| | <p>Comprises diverter valve, hand shower, fixing station and retractable hose pack</p> | <p>Exposed rail extension kit 223217 £20.83 £25.00 inc VAT</p> | <p>Short (300mm) wall fixed head arm 518202 £70.84 £85.00 inc VAT</p> |

* Gravity processors come with integral pump

HiQu XT

| HiQu XT Shower | | |
|---|---|---|
|  <p>HiQu XT exposed system with adjustable height head HP/Combi HQXT001 £290.84 £349.00 inc VAT</p> |  <p>HiQu XT bath shower mixer with adjustable height head – deck mounted HP/Combi HQXT002 £364.17 £437.00 inc VAT</p> |  <p>HiQu XT bath shower mixer with adjustable height head – wall mounted HP/Combi HQXT002 £364.17 £437.00 inc VAT PLUS 525301 £10.00 £12.00 inc VAT</p> |

For installations with Gravity systems, match up with an Aqualisa pump



AQUALISA

Aqualisa Products Limited
The Flyer's Way
Westerham Kent TN16 1DE

Switchboard: 01959 560000
Customer helpline: 01959 560010
Brochure request line: 0800 652 3669
Website: www.aqualisa.co.uk
Email: enquiries@aqualisa.co.uk

The company reserves the right to alter, change or modify the product specifications without prior warning. Please refer to installation guides for technical information. Registered Trademark Aqualisa Products Limited. Please note that calls may be recorded for quality purposes.

Copyright © Aqualisa 2008. All rights reserved. No part of this brochure may be reproduced whether by copying or storing in any medium, electronic or otherwise, without the express permission of Aqualisa subject to any contrary provision under the Copyright, Designs and Patents Act 1988.

Any unauthorised reproduction of any part of this brochure may lead to a civil claim for damages or criminal prosecution.



THE QUEEN'S AWARDS
FOR ENTERPRISE:
INNOVATION
2008