

Code	Description	£ - List
F1 Series accessories		
Support Brackets		
O19800020	Revolving wall support bracket	76.55
O19800024	Revolving wall support bracket	76.55
OKMN000	Revolving wall support bracket	76.55
O19800026	Revolving wall support bracket	76.55
O19800028	Revolving wall support bracket	76.55
OSTF005	Tubular support bracket	46.20
OSTF009	Support bracket	102.75
Flue Ducts		
OTBO010	Pipe ø 80 mm - 195 mm long with drawing hole	28.30
OTBO007	Pipe ø 80 mm - 250 mm long	20.00
OTBO008	Pipe ø 80 mm - 500 mm long	24.15
OTBO009	Pipe ø 80 mm - 1000 mm long	29.65
OTBO019	Pipe ø 80 mm - 275 mm long with drawing hole	29.00
OTBO020	Pipe ø 80 mm - 1000 mm long with drawing hole	36.55
OTBO013	Pipe ø 100 mm - 250 mm long	21.40
OTBO014	Pipe ø 100 mm - 500 mm long	26.90
OTBO015	Pipe ø 100 mm - 1000 mm long	34.50
OTBO004	Pipe ø 130 mm - 500 mm long	21.40
OTBO002	Pipe ø 130 mm - 1000 mm long	37.25
OTBO006	Pipe ø 130 mm - 1000 mm long with condensate separator	44.15
ODTT004	Pipe adaptor ø 80/130 mm	24.85
ODTT002	Kit No.1 pipe adaptor ø 80/100 mm	33.80
OSCR006	Separated exhaust pipes kit; 1000 mm length with double terminal	88.30
OCRV006	45° bend ø 80 mm	24.15
OCRV009	45° bend ø 100 mm	31.05
OCRV004	45° bend ø 130 mm	24.15
OCRV007	90° bend ø 80 mm	29.65
OCRV008	90° bend ø 100 mm	35.85
OCRV002	90° bend ø 130 mm	27.60
OSCR007	Coaxial exhaust pipes kit for wall hanging units ø 125 mm	174.50
OKTC004	Coaxial exhaust pipes kit for wall hanging units ø 180 mm (1)	205.50
OSCR008	Roof coaxial exhaust pipes kit ø 125 mm	341.00
OSCR009	Roof coaxial exhaust pipes kit ø 150 mm	210.35
OSCR014	Roof coaxial exhaust pipes kit ø 210 mm	288.95
OFLD004	Through-pipe connection with collar ø 80 mm	44.85
OFLD005	Through-pipe connection for inclined roof 5°/30° ø 80 mm	53.80
OFLD001	Through-pipe connection with collar 5°/30° ø 130 mm	40.00
OFLD003	Through-pipe connection for inclined roof 5°/30° ø 130 mm	51.75
OFLD008	Through-pipe connection with collar ø 125 mm (OSCR008)	41.40
OFLD009	Through-pipe connection for inclined roof ø 125mm (OSCR008)	45.55
OFLD006	Through-pipe connection with collar for coaxial exhaust pipe ø 150 mm (OSCR009)	41.40
OFLD007	Through-pipe connection for inclined roof 5°/30° for coaxial exhaust pipe ø 150 mm (OSCR009)	45.55
OFLD012	Through-pipe connection with collar for coaxial exhaust pipe ø 210 mm (OSCR014)	27.60
OFLD013	Through-pipe connection for inclined roof 5°/30° for coaxial exhaust pipe ø 210 mm (OSCR014)	60.70
ORCC002	90° T-shaped connection ø 80 mm	43.45
ORCC004	90° T-shaped connection ø 100 mm	41.40
ORCC001	90° T-shaped connection ø 130 mm	44.85
OTPP002	Condensate drainage cap ø 80 mm for T-shaped junction	29.65
OTPP003	Condensate drainage cap ø 100 mm for T-shaped junction	27.60
OTPP001	Condensate drainage cap ø 130 mm for T-shaped junction	27.60
OTPP004	Flue drawing cap for exhaust pipes	13.10
ORSN002	Terminal rosette for pipe ø 80 mm	9.00
ORSN001	Terminal rosette for pipe ø 130 mm	7.60
OTRM004	Roof terminal ø 80 mm	44.15
OTRM001	Roof terminal ø 130 mm	35.85
OTRM005	Die-cast double wall external terminal for ø 80 mm pipes	23.45
O12141340	Wall external stainless steel terminal ø 130 mm	16.55
OFSC001	Pipes fixing clip ø 130 mm	10.35

Code	Description	£ - List
Vertical grille		
O12417119	Vertical grille with revolving louvres	62.75
O12418269	Vertical grille with revolving louvres	69.00
OGVR010	Vertical grille with revolving louvres	77.25
O12417139	Vertical grille with revolving louvres	115.20
O12418319	Vertical grille with revolving louvres	128.30
Regulation and control		
O12301035	Room thermostat with ON/OFF switch	18.65
O12301025	Sealed room thermostat	84.10
OTNL000	analogic programmable heater timer	97.25
O12301097	Integrated digital programmable heater timer	102.10
ORRM000	Remote reset switch for limit thermostat	94.25
For 80 mm & 100 mm ducts & components fixing clips are supplied, while 130 mm ducts & components additional fixing clips are required		
(1) To be used only with bracket No. OSTF009		

M Series accessories		
Support Brackets		
O19800020	Revolving wall support bracket	76.55
O19800024	Revolving wall support bracket	76.55
OKMN000	Revolving wall support bracket	76.55
O19800026	Revolving wall support bracket	76.55
O19800028	Revolving wall support bracket	76.55
OSTF005	Tubular support bracket	46.20
Flue Ducts		
OTBO003	Pipe ø 110 mm - 500 mm long	21.40
OTBO001	Pipe ø 110 mm - 1000 mm long	26.90
OTBO004	Pipe ø 130 mm - 500 mm long	34.50
OTBO002	Pipe ø 130 mm - 1000 mm long	21.40
OTBO005	Pipe ø 110 mm - 1000 mm long with drawing hole	37.25
OTBO006	Pipe ø 130 mm - 1000 mm long with drawing hole	44.15
OSCR004	Wall separated air/exhaust pipes kit 1 m long with terminals	114.50
OSCR005	Exhaust pipes kit ø 110 mm (1)	54.50
OTBO011	Exhaust pipe adapter ø 130 mm	13.10
OTBO012	Exhaust pipe adapter ø 110 mm	14.50
OCRV003	45° bend ø 110 mm	22.75
OCRV004	45° bend ø 130 mm	24.15
OCRV001	90° bend ø 110 mm	26.20
OCRV002	90° bend ø 130 mm	27.60
OSCR000	Wall coaxial exhaust pipe ø 150 mm	206.20
OSCR001	Wall coaxial exhaust pipe ø 180 mm	206.20
OSCR002	Roof coaxial exhaust pipes kit ø 210 mm	249.65
OFLD000	Through-pipe connection with collar ø 110 mm	39.30
OFLD001	Through-pipe connection with collar ø 130 mm	40.00
OFLD002	Through-pipe connection for inclined roof 5°/30° ø 110 mm	49.65
OFLD003	Through-pipe connection for inclined roof 5°/30° ø 130 mm	51.75
OFLD012	Through-pipe connection with collar for coaxial exhaust pipe ø 210 mm (OSCR014)	27.60
OFLD013	Through-pipe connection for inclined roof 5°/30° for coaxial exhaust pipe ø 210 mm (OSCR014)	60.70
ORCC000	90° T-shaped connection ø 110 mm	41.40
ORCC001	90° T-shaped connection ø 130 mm	44.85
OTPP000	Condensate drainage cap ø 110 mm for T-shaped junction	27.60
OTPP001	Condensate drainage cap ø 130 mm for T-shaped junction	27.60
OTPP004	Flue drawing cap for exhaust pipes	13.10
ORSN000	Terminal rosette for pipe ø 110 mm	7.60
ORSN001	Terminal rosette for pipe ø 130 mm	7.60
OTRM000	Roof terminal ø 110 mm	32.45
OTRM001	Roof terminal ø 130 mm	35.85
O12141330	Wall external stainless steel terminal ø 110 mm	15.20
O12141340	Wall external stainless steel terminal ø 130 mm	16.55
OGTN000	Silicone gasket kit ø 110 mm	10.35
OFSC000	Pipes fixing clip ø 110 mm	9.65
OFSC001	Pipes fixing clip ø 130 mm	10.35
For 80 mm and 100 mm ducts and components fixing clips are supplied		
(1) External terminal included		

Code	Description	£ - List
Vertical grille		
O12417119	Vertical grille with revolving louveres	62.75
O12418269	Vertical grille with revolving louveres	69.00
OGVR010	Vertical grille with revolving louveres	77.25
O12417139	Vertical grille with revolving louveres	115.20
O12418319	Vertical grille with revolving louveres	128.30
Connections to Polythene pipes		
OBCC000	Connection to the polythene pipes (M35/M40)	117.95
OBCC001	Connection to the polythene pipes (M20/M25)	113.80
OBCC002	Connection to the polythene pipes (M30)	113.80
OBCC003	Connection to the polythene pipes (M50)	142.75
OBCC004	Connection to the polythene pipes (M60)	142.75
O13202020	Polythene pipe ø 370 mm	9.65 / M
O13202022	Polythene pipe ø 420 mm	9.65 / M
O13202027	Polythene pipe ø 470 mm	9.65 / M
Regulation and control		
O12301035	Room thermostat with ON/OFF switch	18.65
O12301025	Sealed room thermostat	84.10
OTNL000	analogic programmable heater timer	97.25
O12301097	integrated digital programmable heater timer	102.10
ORRM000	Remote reset switch for limit thermostat	94.25
OCVO015	Connecting cable for ground control unit 8x1 - 5 m long	13.80

Evoluzione Series accessories		
Support Brackets		
OSTF000	Support bracket with integrated wall ducts (1)	144.15
OSTF003	Upper support bracket (2)	310.35
OSTF006	Revolving wall support bracket (2)	162.05
OSTF007	Tubular support bracket (2)	145.50
OSTF008	Tubular support bracket (2)	145.50
(1) Provided with double external terminal. It is designed to hold the heater and is supplied with wall-mounted air intake and exhaust outlet		
(2) Provided as a kit with No.2 connector with drawing hole and condensate separator		
Flue Ducts		
OTBO017	Pipe ø 80 mm - 185 mm long	
OTBO010	Pipe ø 80 mm - 195 mm long with drawing hole	28.30
OTBO007	Pipe ø 80 mm - 250 mm long	20.00
OTBO008	Pipe ø 80 mm - 500 mm long	24.15
OTBO009	Pipe ø 80 mm - 1000 mm long	29.65
OTBO019	Pipe ø 80 mm - 275 mm long with drawing hole	29.00
OTBO020	Pipe ø 80 mm - 1000 mm long with drawing hole	36.55
OTBO013	Pipe ø 100 mm - 250 mm long	21.40
OTBO014	Pipe ø 100 mm - 500 mm long	26.90
OTBO015	Pipe ø 100 mm - 1000 mm long	34.50
ODTT002	Kit No.1 pipe adaptor ø 80/100 mm	33.80
OSCR006	Separated exhaust pipes kit; 1000 mm length with double terminal	88.30
OCRV006	45° bend ø 80 mm	24.15
OCRV009	45° bend ø 100 mm	31.05
OCRV007	90° bend ø 80 mm	29.65
OCRV008	90° bend ø 100 mm	35.85
OSCR007	Coaxial exhaust pipes kit for wall hanging units ø 125 mm	174.50
OSCR008	Roof coaxial exhaust pipes kit ø 125 mm	199.30
OSCR009	Roof coaxial exhaust pipes kit ø 150 mm	210.35
OFLD004	Through-pipe connection with collar ø 80 mm	44.85
OFLD005	Through-pipe connection for inclined roof 5°/30° ø 80 mm	53.80
OFLD008	Through-pipe connection with collar ø 125 mm (OSCR008)	41.40
OFLD009	Through-pipe connection for inclined roof ø 125mm (OSCR008)	45.55
OFLD006	Through-pipe connection with collar for coaxial exhaust pipe ø 150 mm (OSCR009)	41.40
OFLD007	Through-pipe connection for inclined roof 5°/30° for coaxial exhaust pipe ø 150 mm (OSCR009)	45.55
ORCC002	90° T-shaped connection ø 80 mm	43.45
ORCC004	90° T-shaped connection ø 100 mm	41.40
OTPP002	Condensate drainage cap ø 80 mm for T-shaped junction	29.65
OTPP003	Condensate drainage cap ø 100 mm for T-shaped junction	27.60
OTPP004	Flue drawing cap for exhaust pipes	13.10
ORSN002	Terminal rosette for pipe ø 80 mm	9.00
O SCN000 *	Condensate Separator	51.05
O SCN010 *	No.2 exhaust pipe kit with condensate separator	36.55
OTRM004	Roof terminal ø 80 mm	44.15
OTRM005	Die-cast double wall external terminal for ø 80 mm pipes	23.45
OLTT000	No.20 adjustable aluminium louveres kit (No.2 kits for E52 and E72 models)	23.45
For 80 mm & 100 mm ducts & components fixing clips are supplied.		
* To connect the air/exhaust pipes to the heater.Necessary if Robur support brackets are not used.		

Code	Description	£ - List
Regulation and control		
O12301035	Room thermostat with ON/OFF switch	18.65
O12301025	Sealed room thermostat	40.00
OCTR001	Basic control (3)	21.40
OCTR009	Thermostated control with temperature sensor	166.20
OCTR010	Built-in integrated control (thermostat and timer) with temperature sensor	201.40
OCT012	Integrated control and IP55 sealed integrated command	235.85
OCT007	Wall expansion module (4) for integrated control and thermostat control units	128.30
ORRM000	Remote reset switch for limit thermostat	44.85
(3) Room thermostat and temperature control unit are recommended		
(4) Used with the thermostated or integrated command, with the expansion module it is possible to control up to 3 heaters simultaneously		

Supercromo Series accessories		
OTLA004	Frame support (for the top and back side for outgoing pipes)	37.95
OCFF004	90° casing for coaxial exhaust pipes	33.10
OCFF002	Casing separate inlet/exhaust pipes ø 35/35 mm	34.50
OCRV000	90° bend ø35 mm for sperated pipes	11.05
OPRL001	Coaxial pipes kit ø 35/49 - 1 m long	11.75
OPRL000	Pipe extension ø 35 mm - 1 m long	7.60
OPRG001	Digital programmer with 150 h charging system	48.00
OSCR003	Condensate drainage	36.55
JTRM000B	Wall aluminium alloy terminal	6.20
OTRM002	Stainless steel roof terminal	14.50
OFRS004	Wall cutter ø 50 mm	54.50
OSTL000	Base for wall cutter 350 mm long	41.40
OSTL001	Base for wall cutter 550 mm long	54.50