

Data sheet

Lockshield valve type RLV-S with self sealing - for individual shut-off

Application



By means of a lockshield valve, type RLV-S, every radiator can be shut off individually to allow trouble-free maintenance or repair without affecting other radiators in the system.

RLV-S is intended for mounting in the return flow in the outlet of the radiator.

RLV-S lockshield valves are available in angle and straight versions with self sealing tailpieces.


RLV-S can be preset to limit the max. water flow. Factory setting is fully open valve.

Dimensions correspond to DIN 3842-1.

Accessory for RLV-S:

- Brass handwheel: a tool which replaces the thermostat when radiators with RLV-S lockshield valves are removed.

In order to avoid deposition and corrosion the composition of the hot water must be in accordance with the VDI 2035 guideline (Verein Deutscher Ingenieure).



Ordering and data

Туре	Code no.	Connections ISO 7-1		Flow limitation: k_v -values (m ³ /h) for no. of turns										
		System	Radiator	0.25	0.5	0.75	1.0	1.5	2.0	2.5	3.0	3.5	4.0	k _{vs}
DN 15 angle	003L0345	G ¹ / ₂	R 1/2	0.20	0.40	0.60	0.80	1.05	1.25	1.40	1.55	1.70	1.80	2.20
DN 15 straight	003L0346													

Max. working pressure: 10 bar. Test pressure: 16 bar. Max. water temperature: 120 °C.


Accessory for RLV-S

Product	Code no.
Brass handwheel for temporarily replacement af the sensor	013G3300

Setting and regulation


Setting of max. water flow:

- Close the valve by means of an Allen key DN 10 = 6 mm; DN 15/20 = 8 mm.
- Regulate the water flow by opening the valve. The capacity diagrammes on the opposite page show the water flow at ¹/₄.
- 4 turns and for fully open valve (k_{vs}) .







Design



Dimensions



Capacity



Danfow can accept no reponsibility for powible errors in catalogues, brochurer and other printed material. Dan for meaner theright to alter to product with out notice. This also applies to product a already on order provided that such alternations can be made estimated with equantial dranger being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfow and the Danfow log objective trademarks of Danfow 3/5, All righter ensued.