SAFETY DATA SHEET



99C Sn/Cu 3.25mm 0.5Kg

Identification of the preparation and of the company 1.

	Product name	;	99C Sn/Cu 3.25mm 0.5Kg		
	Code	:	20813		
	Head Office	:	Cookson Electronics Forsyth Road Sheerwater Woking Surrey England GU21 5RZ Tel: +44(0)1483 758400 Fax: +44(0)1483 728837	Manufacturer	Cookson Electronics Assembly Materials Group Naarden Manufacturing Site Energiestraat 21 1411 AR Naarden The Netherlands Tel: +31 (35) 695 5411 Fax: +31 (35) 694 8451
	Contact person	:	shosken@cooksonelectronics.com		
	Material uses	:	soldering		
2	Hazards	; i	dentification		

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification	: Not classified.
Skin contact	Non-irritant to skin.
Toxicity data Additional warning phrases	Not available.Safety data sheet available for professional user on request.

See section 11 for more detailed information on health effects and symptoms.

3 **Composition/information on ingredients**

Substance/preparation : Preparation

2

Ingredient name	CAS number	%	EC number	Classification
Europe				
tin	7440-31-5	80 - 100	231-141-8	Not classified.
copper	7440-50-8	0.5 - 1	231-159-6	Not classified.
See section 16 for the full text of the R-phrases declared above				

Occupational exposure limits, if available, are listed in section 8.

The classifications listed, indecate the potential hazards of the ingredients

4. **First-aid measures**

First-aid measures

Skin contact	: Flush contaminated skin with plenty of water. Cuts should be treated promptly and covered.
Eye contact	: Get medical attention if any damage to the eye is caused by the metal.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
Notes to physician	 No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See section 11 for more detailed information on health effects and symptoms.

Date of issue	: 04/07/2011.	1/10



5. Fire-fighting measures

Extinguishing media	
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Special exposure hazards	: No specific fire or explosion hazard.
	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hazardous combustion products	 Decomposition products may include the following materials: metal oxide/oxides
Special protective equipment for fire-fighters	: No special protection is required.

6. Accidental release measures

Personal precautions	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering.
Environmental precautions	:	No specific hazard.
Large spill	:	Restack safely. Take care with items that are sharp or heavy. Note: see section 1 for emergency contact information and section 13 for waste disposal.
Small spill	:	Restack safely. Take care with items that are sharp or heavy.

7. Handling and storage

Ŭ	6
Handling	: Put on appropriate personal protective equipment (see section 8). Workers should wash hands and face before eating, drinking and smoking. Take care with items that are sharp or heavy.
Storage	: Store in accordance with local regulations.
Packaging materials	
Recommended	: Use original container.

8. Exposure controls/personal protection

Exposure limit values

Ingredient name	Occupational exposure limits	
Europe		
tin	ACGIH TLV (United States, 1/2008).	
copper	TWA: 2 mg/m ³ 8 hour(s). ACGIH TLV (United States, 1/2008). TWA: 0.2 mg/m ³ 8 hour(s). Form: Fume ACGIH TLV (United States, 1/2008). Notes: as Cu TWA: 1 mg/m ³ , (as Cu) 8 hour(s).	
Sweden		
copper	AFS (Sweden, 2000). NGV: 0.2 mg/m ³ 8 hour(s). Form: Fume AFS 2005:17 (Sweden, 6/2007). TWA: 0.2 mg/m ³ 8 hour(s). Form: respirable dust TWA: 1 mg/m ³ 8 hour(s). Form: total dust	
Denmark		
copper	Arbejdstilsynet (Denmark, 3/2008). Notes: calculate TWA: 0.1 mg/m³, (calculated as Cu) 8 hour(s). Form: Arbejdstilsynet (Denmark, 3/2008). TWA: 1 mg/m³ 8 hour(s). Form: powder and dust	
Norway		
copper	Arbeidstilsynet (Norway, 11/2007). TWA: 1 mg/m³ 8 hour(s). Form: dust TWA: 0.1 mg/m³ 8 hour(s). Form: fume	
Date of issue	: 04/07/2011.	2/10



8. Exposure controls/personal protection

France copper	INRS (France, 12/2007). Notes: indicative exposure limits STEL: 2 mg/m ³ , (as Cu) 15 minute(s). Form: dust TWA: 1 mg/m ³ , (as Cu) 8 hour(s). Form: dust TWA: 0.2 mg/m ³ 8 hour(s). Form: fume
Netherlands	
copper	MinSZW Wettelijke Grenswaarden (Netherlands, 4/2008). Notes Administrative MAC-TGG, 8 uur: 0.1 mg/m ³ 8 hour(s). Form: inhaleerbare fractie
Germany	3 • • • • • • • • • • • • • • • • • •
copper	MAK-Werte Liste (Germany, 7/2006). PEAK: 0.2 mg/m ³ , 4 times per shift, 15 minute(s). Form: Aerosol / measured as the inhalable fraction TWA: 0.1 mg/m ³ 8 hour(s). Form: Aerosol / measured as the inhalable fraction
Finland	
tin	Työterveyslaitos (Finland, 2002). TWA: 2 mg/m ³ 8 hour(s). Työterveyslaitos, Sosiaali- ja terveysministeriö (Finland, 8/2007). Notes: calculated as Sn TWA: 2 mg/m ³ , (calculated as Sn) 8 hour(s).
copper	 Työterveyslaitos (Finland, 2002). TWA: 1 mg/m³ 8 hour(s). Työterveyslaitos, Sosiaali- ja terveysministeriö (Finland, 8/2007). Notes: calculated as Cu STEL: 0.1 ppm, (calculated as Cu) 15 minute(s). Form: respirable dust STEL: 0.1 ppm, (calculated as Cu) 15 minute(s). Form: respirable fume
United Kingdom (UK)	
tin	EH40-OES (United Kingdom (UK), 2002). TWA: 2 mg/m³ 8 hour(s). STEL: 4 mg/m³ 15 minute(s).
copper	EH40/2005 WELs (United Kingdom (UK), 8/2007). Notes: as Cu STEL: 2 mg/m ³ , (as Cu) 15 minute(s). Form: Dusts and Mists TWA: 1 mg/m ³ , (as Cu) 8 hour(s). Form: Dusts and Mists TWA: 0.2 mg/m ³ , (as Cu) 8 hour(s). Form: Fume
Austria	
tin	GKV_MAK (Austria, 9/2007). STEL: 4 mg/m³, 4 times per shift, 15 minute(s). Form: inhalable fraction TWA: 2 mg/m³ 8 hour(s). Form: inhalable fraction
copper	GKV_MAK (Austria, 9/2007). STEL: 4 mg/m ³ , 4 times per shift, 15 minute(s). Form: inhalable fraction TWA: 1 mg/m ³ 8 hour(s). Form: inhalable fraction STEL: 0.4 mg/m ³ , 4 times per shift, 15 minute(s). Form: respirable fume TWA: 0.1 mg/m ³ 8 hour(s). Form: respirable fume
Switzerland	
copper	SUVA (Switzerland, 1/2007). Notes: not temporary STEL: 0.2 mg/m³ 15 minute(s). Form: inhalable dust TWA: 0.1 mg/m³ 8 hour(s). Form: inhalable dust
Belgium	
Date of issue	: 04/07/2011. 3/1



99C Sn/Cu 3.25mm 0.5Kg	
8. Exposure co	trols/personal protection
tin	Lijst Grenswaarden / Valeurs Limites (Belgium, 6/2007). Absorbed through skin. TWA: 2 mg/m³ 8 hour(s).
copper	Lijst Grenswaarden / Valeurs Limites (Belgium, 6/2007). Notes: as Cu TWA: 1 mg/m ³ , (as Cu) 8 hour(s). Form: dust and mist
Oracia	TWA: 0.2 mg/m³, (as Cu) 8 hour(s). Form: fume
Spain tin	INSHT (Spain, 1/2008).
copper	TWA: 2 mg/m ³ 8 hour(s). INSHT (Spain, 1/2008). Notes: as Cu TWA: 1 mg/m ³ , (as Cu) 8 hour(s). Form: dust and mist INSHT (Spain, 1/2008). TWA: 0.2 mg/m ³ 8 hour(s). Form: fume
Turkey	
tin	NIOSH REL (United States, 6/2008). TWA: 2 mg/m³ 10 hour(s).
copper	NIOSH REL (United States, 6/2008). TWA: 1 mg/m ³ 10 hour(s). Form: Dusts and Mists
Czech Republic	
copper	178/2001 (Czech Republic, 12/2007). STEL: 2 mg/m ³ 15 minute(s). Form: dust TWA: 1 mg/m ³ 8 hour(s). Form: dust STEL: 0.2 mg/m ³ 15 minute(s). Form: fume TWA: 0.1 mg/m ³ 8 hour(s). Form: fume
Ireland	
copper	NAOSH (Ireland, 8/2007). Notes: as Cu OELV-15min: 2 mg/m ³ , (as Cu) 15 minute(s). Form: dusts and mists OELV-8hr: 1 mg/m ³ , (as Cu) 8 hour(s). Form: dusts and mists OELV-8hr: 0.2 mg/m ³ , (as Cu) 8 hour(s). Form: fume
Italy	
tin	ACGIH TLV (United States, 1/2008). TWA: 2 mg/m³ 8 hour(s).
copper	ACGIH TLV (United States, 1/2008). TWA: 0.2 mg/m ³ 8 hour(s). Form: Fume ACGIH TLV (United States, 1/2008). Notes: as Cu TWA: 1 mg/m ³ , (as Cu) 8 hour(s).
Estonia	
copper	Sotsiaalminister (Estonia, 10/2007). TWA: 0.2 mg/m³ 8 hour(s). Form: inhalable dust TWA: 1 mg/m³ 8 hour(s). Form: total dust
Lithuania	Del Listurge Higieres Newson (Lithurgis, 40/0007) Netser es
copper	Del Lietuvos Higienos Normos (Lithuania, 10/2007). Notes: as Cu TWA: 0.2 mg/m ³ , (as Cu) 8 hour(s). Form: alveolar TWA: 1 mg/m ³ , (as Cu) 8 hour(s). Form: respirable
Slovakia	
copper	Nariadenie Vlády Slovenskej republiky (Slovakia, 6/2007). CEIL: 2 mg/m³ Form: dust TWA: 1 mg/m³ 8 hour(s). Form: dust CEIL: 0.2 mg/m³ Form: smoke TWA: 0.1 mg/m³ 8 hour(s). Form: smoke
Hungary	
copper	EüM-SzCsM (Hungary, 12/2007). PEAK: 0.4 mg/m³ 15 minute(s). Form: fume TWA: 0.1 mg/m³ 8 hour(s). Form: fume
Poland	



99C Sn/Cu 3.25mm 0.5Kg		
8. Exposure controls/personal protection		
tin	Ministra Pracy i Polityki Społecznej (Poland, 9/2007). Notes: calculated as Sn TWA: 2 mg/m ³ , (calculated as Sn) 8 hour(s). Form: smokes and dusts	
copper	Ministra Pracy i Polityki Społecznej (Poland, 9/2007). Notes: calculated as Cu STEL: 0.3 mg/m ³ , (calculated as Cu) 15 minute(s). TWA: 0.1 mg/m ³ , (calculated as Cu) 8 hour(s).	
Slovenia		
соррег	Uradni list Republike Slovenije (Slovenia, 6/2007). TWA: 1 mg/m ³ 8 hour(s). Form: inhalable fraction TWA: 0.1 mg/m ³ 8 hour(s). Form: respirable fume	
Latvia		
соррег	LV Nat. Standardisation and Meterological Centre (Latvia, 5/2007). STEL: 1 mg/m ³ 15 minute(s). TWA: 0.5 mg/m ³ 8 hour(s).	
Greece		
tin	PD 90/1999 (Greece, 8/2007). TWA: 2 mg/m³ 8 hour(s).	
copper	PD 90/1999 (Greece, 8/2007). STEL: 2 mg/m ³ 15 minute(s). Form: dust TWA: 1 mg/m ³ 8 hour(s). Form: dust TWA: 0.2 mg/m ³ 8 hour(s). Form: fume	
Portugal		
tin	Instituto Português da Qualidade (Portugal, 3/2007). TWA: 2 mg/m³ 8 hour(s).	
copper	Instituto Português da Qualidade (Portugal, 3/2007). Notes: expressed as Cu TWA: 1 mg/m ³ , (expressed as Cu) 8 hour(s). Form: dust and mist TWA: 0.2 mg/m ³ , (expressed as Cu) 8 hour(s). Form: fume	

Exposure controls

Occupational exposure controls	: No special ventilation requirements.
Hygiene measures	: Wash thoroughly after handling.
Respiratory protection	: Not applicable. Recommended: None assigned.
Hand protection	 Use strong, cut-resistant gloves suitable for handling metals. <1 hours (breakthrough time): disposable vinyl
Eye protection	 Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: safety glasses with side-shields EN 166 1F
Skin protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: overall

9. Physical and chemical properties

Date of issue	: 04/07/2011.	5/10	
VOC content	: 0 % (w/w)		
Solubility	: Insoluble in the following materials: cold water and hot water.		
Melting point	: 228 to 250°C (442.4 to 482°F)		
Important health, safety	and environmental information		
Odour	: None.		
Colour	: Silvery.		
Physical state	: Solid.		
Appearance			
General information			



9. Physical and chemical properties

10. Stability and reactivity

11 Toxicological information		
Hazardous decomposition products	 Under normal conditions of storage and use, hazardous decomposition products should not be produced. 	
Materials to avoid	: No specific data.	
Conditions to avoid	: No specific data.	
Stability	: The product is stable.	

11. Toxicological information

Potential acute health effects

Skin contact	: No known significant effects or critical hazards.
Acute toxicity	

Over-exposure signs/symptoms

Target organs

: Contains material which may cause damage to the following organs: kidneys, liver, upper respiratory tract, skin, eye, lens or cornea.

12. Ecological information

Aquatic ecotoxicity

Product/ingredient name copper	Test -	Result Acute EC50 38 ug/L Fresh water	Species Crustaceans - Water flea - Chydorus sphaericus - Juvenile (Fledgling, Hatchling, Weanling) - <48 hours	Exposure 48 hours
	-	Acute EC50 33.4 ug/L Fresh water	Crustaceans -	48 hours
	-	Acute EC50 20.2 ug/L Fresh water	Crustaceans - Water flea - Chydorus sphaericus - Juvenile (Fledgling, Hatchling, Weanling) - <48 hours	48 hours
	-	Acute EC50 18.8 ug/L Fresh water		48 hours
	-	Acute EC50 18.4 ug/L Fresh water	Crustaceans - Water flea - Simocephalus	48 hours



6/10

12. Ecological information

Acute EC50 1 ug/L Fresh wa	
Acute EC50 1 ug/L Fresh wa	
Acute EC50 9 ug/L Fresh wa	
Acute EC50 9 ug/L Fresh wa	
Acute EC50 9 ug/L Fresh wa	Daphnia - Water 48 hours ter flea - Ceriodaphnia dubia - Neonate - <24 hours
Acute EC50 6 ug/L Fresh wa	5 Daphnia - Water 48 hours
Acute EC50 6 8 ug/L Fresh water	
Acute EC50 4 ug/L Fresh wa	Daphnia - Water 48 hours ter flea - Ceriodaphnia dubia - Neonate - <24 hours - 2.5 mm
Acute EC50 2 ug/L Fresh wa	•



7/10

12. Ecological information

	Ceriodaphnia dubia - Neonate - <24 hours - 2.5 mm	
Acute EC50 2.2 ug/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate - <24 hours - 2.5 mm	48 hours
Acute EC50 2 to 4 ug/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate - <24 hours - 2.5 mm	48 hours
Acute EC50 1.6 ug/L Fresh water	Daphnia - Water flea - Ceriodaphnia dubia - Neonate - <24 hours - 0.25 mm	48 hours
Acute IC50 0.03 mg/L Marine water	Crustaceans - Amphipod - Ampelisca abdita	48 hours
Acute LC50 57 to 64 ug/L Fresh water	Water flea - Simocephalus vetulus - <24 hours	48 hours
Acute LC50 30 ug/L Fresh water	Fish - Chinook salmon - Oncorhynchus tshawytscha - 3 months - 1.35 g	96 hours
Acute LC50 27.8 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) - <1 months	96 hours
Acute LC50 24 ug/L Fresh water	Fish - Striped bass - Morone saxatilis - LARVAE - 16 days	96 hours
Acute LC50 20 ug/L Fresh water	Fish - Chinook salmon - Oncorhynchus tshawytscha - 3 months - 1.35 g	96 hours
Acute LC50 >20 ug/L	Fish - Chinook salmon - Oncorhynchus tshawytscha - 1.35 g	96 hours
Acute LC50 10.3 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - Juvenile	96 hours

Date of issue

: 04/07/2011.

Powered by

8/10

99C Sn/Cu 3.25mm 0.5Kg

12. Ecological information

	(Fledgling, Hatchling, Weanling) - <1 months	
Acute LC50 >10 ug/L	Fish - Chinook salmon - Oncorhynchus tshawytscha - 1.35 g	96 hours
Acute LC50 9.4 ug/L Fresh water		96 hours
Chronic NOEC 11.7 ug/L Fresh water	Fish - Chinook salmon - Oncorhynchus tshawytscha	96 hours

Biodegradability	
Other adverse effects	: No known significant effects or critical hazards.
ΑΟΧ	 The product does not contain organically bound halogens which could lead to an AOX value in waste water.

13. Disposal considerations

•	
Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
European waste catalogue (EWC)	: 10 08 11 dross and skimmings other than those mentioned in 10 08 10
Hazardous waste	 Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

14. Transport information

International transport regulations

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA Class	Not regulated.	-	-	-		-

PG* : Packing group

Date of issue

: 04/07/2011.



15. Regulatory information

EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Risk phrases Product use	This product is not classified according to EU legislation.Industrial applications.
Other EU regulations	
Additional warning phrases	: Safety data sheet available for professional user on request.
<u>Germany</u>	
Hazard class for water	: nwg Appendix No. 4
Technical instruction on air quality control	: TA-Luft Number 5.2.1: 99% TA-Luft Class III - Number 5.2.2: 1%
<u>Italy</u>	
England an england allocations	

Emission control directive : Not classified.

16. Other information

Full text of R-phrases referred to in sections 2 and 3 - Europe	: None assigned.
Full text of classifications referred to in sections 2 and 3 - Europe	: None assigned.
<u>History</u>	
Date of printing	: 20/07/2011.
Date of issue	: 04/07/2011.
Date of previous issue	: 04/08/2010.
Version	: 4
Prepared by	: Simon Hosken Environmental, Health and Safety Manager

✓ Indicates information that has changed from previously issued version.

<u>References</u>

The Health and Safety At Work Act 1974, section 6. Control of Substances Hazardous to Health (CoSHH) Regulations 2002 and its amendments.

Preparation contains soley TSCA and REACh 1907/2006 listed substances.

This safety data sheet has been prepared in accordance with the requirements of the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 which implement EC Directives 1999/45/EC and 2001/58/EC and their amendments.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

