
# **SAFETY DATA SHEET**



### AF-10 Underfloor Heating Biocide Express 10X280ml

# 1. Identification of the preparation and of the company

	Product name	:	AF-10 Underfloor Heating Biocide Express 10X280ml			
	Code	:	59650			
	Head Office	:	Cookson Electronics Forsyth Road Sheerwater Woking Surrey England GU21 5RZ Tel: +44(0)1483 758400 Fax: +44(0)1483 728837	Manufacturer	F S E C	Cookson Electronics Forsyth Road Sheerwater Voking Surrey England GU21 5RZ Fel: +44(0)1483 758400 Fax: +44(0)1483 728837
	Contact person	:	shosken@cooksonelectronics.com			
	Material uses	:	Water-conditioning agent.			
1	Hazards	; i	dentification			

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification	: Xi; R36 R43
Effects and symptoms	
Inhalation	May be fatal if inhaled.
Ingestion	May be fatal if swallowed.
Skin contact	Not available.
Eye contact	Hazardous by the following route of exposure: of eye contact (irritant).
Toxicity data	Not available.
Son soction 11 for more a	lotailed information on boalth offects and symptoms

#### See section 11 for more detailed information on health effects and symptoms.

#### **3** Composition/information on ingredients

Ingredient name	CAS number	%	EC number	Classification
Europe				
chlorocresol	59-50-7	5 - 10	200-431-6	Xn; R21/22 Xi; R41 R43 N; R50
See section 16 for the full text of the R-phrases declared above				

Occupational exposure limits, if available, are listed in section 8.

The classifications listed, indecate the potential hazards of the ingredients

2



### 4. First-aid measures

First-aid measures	
Inhalation	: Keep person warm and at rest. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately.
Ingestion	: Wash out mouth with water. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Notes to physician	: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See section 11 for more detailed information on health effects and symptoms.

# 5. Fire-fighting measures

Extinguishing media	
Suitable	: Use an extinguishing agent suitable for the surrounding fire.
Not suitable	: None known.
Special exposure hazards	: In a fire or if heated, a pressure increase will occur and the container may burst.
	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective equipment for fire-fighters	<ul> <li>Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.</li> </ul>

## 6. Accidental release measures

Personal precautions	:	Do not touch or walk through spilt material. Provide adequate ventilation. Put or appropriate personal protective equipment (see section 8).	n
Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drain and sewers. Inform the relevant authorities if the product has caused environme pollution (sewers, waterways, soil or air).	
Large spill	:	Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorber material e.g. sand, earth, vermiculite or diatomaceous earth and place in contain for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.	nt
Small spill	:	Move containers from spill area. Dilute with water and mop up if water-soluble o absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	٢
Date of issue	:	01/07/2011.	2/8



# 7. Handling and storage

<b>-</b>	
Handling	: Put on appropriate personal protective equipment (see section 8). Workers should wash hands and face before eating, drinking and smoking. Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container.
Storage	: Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.
Packaging materials	
Recommended	: Use original container.
Czech Republic - Storage code	: 111

# 8. Exposure controls/personal protection

Exposure limit values		
Ingredient name		Occupational exposure limits
Europe		
No exposure limit value known.		
Sweden		
chlorocresol		AFS 2005:17 (Sweden, 6/2007). Skin sensitiser. STEL: 6 mg/m <sup>3</sup> 15 minute(s). TWA: 3 mg/m <sup>3</sup> 8 hour(s).
Denmark		
No exposure limit value known.		
Norway		
propane-1,2-diol		<b>Arbeidstilsynet (Norway, 11/2007).</b> TWA: 79 mg/m³ 8 hour(s). TWA: 25 ppm 8 hour(s).
France		
No exposure limit value known.		
Netherlands		
No exposure limit value known.		
Germany		
No exposure limit value known.		
Finland		
No exposure limit value known.		
United Kingdom (UK)		
propane-1,2-diol		EH40/2005 WELs (United Kingdom (UK), 8/2007). TWA: 10 mg/m <sup>3</sup> 8 hour(s). Form: Particulate TWA: 474 mg/m <sup>3</sup> 8 hour(s). Form: Sum of vapour and particulates TWA: 150 ppm 8 hour(s). Form: Sum of vapour and particulates
Austria		
No exposure limit value known.		
Switzerland		
No exposure limit value known.		
Belgium		
No exposure limit value known.		
Spain		
No exposure limit value known.		
Turkey		
Date of issue	: 01/07/2011.	3/



AF-10 Underfloor Heating Biocide Express 10X280ml			
8. Exposure con	trols/personal protection		
No exposure limit value known.			
Czech Republic			
No exposure limit value known.			
Ireland			
propane-1,2-diol	NAOSH (Ireland, 8/2007). OELV-8hr: 10 mg/m <sup>3</sup> 8 hour(s). Form: particulate OELV-8hr: 470 mg/m <sup>3</sup> 8 hour(s). Form: vapour and particulates OELV-8hr: 150 ppm 8 hour(s). Form: vapour and particulates		
Italy			
No exposure limit value known.			
Estonia			
chlorocresol	Sotsiaalminister (Estonia, 10/2007). STEL: 6 mg/m <sup>3</sup> 15 minute(s). TWA: 3 mg/m <sup>3</sup> 8 hour(s).		
Lithuania			
propane-1,2-diol	Del Lietuvos Higienos Normos (Lithuania, 10/2007).		
chlorocresol	TWA: 7 mg/m <sup>3</sup> 8 hour(s). <b>Del Lietuvos Higienos Normos (Lithuania, 10/2007).</b> STEL: 6 mg/m <sup>3</sup> 15 minute(s). TWA: 3 mg/m <sup>3</sup> 8 hour(s).		
Slovakia			
No exposure limit value known.			
Hungary			
No exposure limit value known.			
Poland			
No exposure limit value known.			
Slovenia			
No exposure limit value known.			
Latvia propane-1,2-diol	LV Nat. Standardisation and Meterological Centre (Latvia, 5/2007).		
	TWA: 7 mg/m³ 8 hour(s).		
Greece			
No exposure limit value known.			
Portugal No exposure limit value known.			
Recommended monitoring procedures	: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.		
Exposure controls			
Occupational exposure controls	: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.		
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.		
Respiratory protection	: Recommended: None assigned.		
Date of issue	: 01/07/2011. 4/8		



### 8. Exposure controls/personal protection

- <b>I</b>	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. 4-8 hours (breakthrough time): nitrile rubber
Eye protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: face shield.EN 166 3 9 -B
Skin protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: None assigned.</li> </ul>
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### 9. Physical and chemical properties

General Information					
<u>Appearance</u>					
Physical state	: Liquid.				
Colour	: Colourless to light yellow.				
Odour	: Characteristic.				
Colour       : Colourless to light yellow.         Odour       : Characteristic.         Important health, safety and environmental information         pH       : 6 to 7 [Conc. (% w/w): 100%]         Boiling point       : 100°C (212°F)         Solubility       : Easily soluble in the following materials: cold water and hot water.					
рН	: 6 to 7 [Conc. (% w/w): 100%]				
Boiling point	: 100°C (212°F)				
Solubility	: Easily soluble in the following materials: cold water and hot water.				
Vapour density	: >1 [Air = 1]				
VOC content	: 0 % (w/w)				

### 10. Stability and reactivity

Stability	The product is stable.	
Conditions to avoid	No specific data.	
Materials to avoid	No specific data.	
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition proc should not be produced.	Jucts

### 11. Toxicological information

#### Potential acute health effects

Inhalation	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Skin contact	: May cause sensitisation by skin contact.
Eye contact	: Irritating to eyes.
Acute toxicity	

**Over-exposure signs/symptoms** 

## 12. Ecological information

Aquatic ecotoxicity					
Product/ingredient name	Test	Result	Species	Exposure	

Date of issue

: 01/07/2011.



AF-10 Underfloor Heating Biocide Express 10X280ml			
12. Ecological information			
chlorocresol -	Acute EC50 2300 Daphnia - Water 48 hours to 2670 ppb flea - Daphnia Fresh water magna - <24 hours		
-	Acute EC50 1500 Daphnia - Water 48 hours to 1940 ug/L flea - Daphnia Fresh water magna - 24 hours		
-	Acute LC50 917 Fish - Rainbow 96 hours ppb Fresh water trout,donaldson trout - Oncorhynchus mykiss		
-	Acute LC50 7560 Fish - Fathead 96 hours to 8920 ug/L minnow - Fresh water Pimephales promelas - 31 to 35 days - 106 mg		
-	Acute LC50 7380 Fish - Fathead 96 hours to 8710 ug/L minnow - Fresh water Pimephales promelas - 31 days - 0.106 g		
-	Acute LC50 6710Fish - Guppy -96 hoursto 7760 ug/LPoecilia reticulataFresh water- 2 to 3 months -1.8 cm - 69 mg		
-	Acute LC50 4050 Fish - Fathead 96 hours to 5270 ug/L minnow - Fresh water Pimephales promelas - 30 days - 19.1 mm - 0.1 g		
_	Acute LC50 4050 Fish - Fathead 96 hours ug/L Fresh water minnow - Pimephales promelas - Juvenile (Fledgling, Hatchling, Weanling) - 26 to 34 days		
-	Acute LC50 2000 Daphnia - Water 48 hours to 2200 ug/L flea - Daphnia Fresh water magna - <24 hours		
-	Acute LC50 1000 Fish - Fathead 96 hours to 10000 ug/L minnow - Fresh water Pimephales promelas		

Biodegradability Other adverse effects AOX

: No known significant effects or critical hazards.

: The product contains organically bound halogens and can contribute to the AOX value in waste water.

: 01/07/2011.



6/8

AF-10 Underfloor Heating Biocide Express 10X280ml

#### **Disposal considerations** 13.

Methods of disposal	: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste	1	The classification of the product may meet the criteria for a hazardous waste.
-----------------	---	--

#### **Transport information** 14.

#### International transport regulations PG\* Additional Regulatory **UN number Proper shipping Classes** Label information name information 2 **ADR/RID Class** 1950 Aerosols, non-Ш flammable **IMDG Class** 2.2 1950 Ш Aerosols, nonflammable **IATA Class** 1950 Aerosols, non-2.2 Ш flammable

PG\* : Packing group

#### **Regulatory information** 15.

#### **EU regulations**

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Hazard symbol or symbols	: Irritant	
Risk phrases	: R36- Irritating to eyes. R43- May cause sensitisation by skin contact.	
Safety phrases	<ul> <li>S2- Keep out of the reach of children.</li> <li>S24- Avoid contact with skin.</li> <li>S37- Wear suitable gloves.</li> <li>S46- If swallowed, seek medical advice immediately and</li> </ul>	show this container or label.
Contains	: chlorocresol	200-431-6
Product use	: Consumer applications, Industrial applications.	
<u>Germany</u>		
Hazard class for water	: 2 Appendix No. 4	
<u>Italy</u>		
Emission control directive	: Not classified.	



AF-10 Underfloor Heating Biocide Express 10X280ml

#### **16.** Other information

Full text of R-phrases referred to in sections 2 and 3 - Europe	:	<ul> <li>R21/22- Harmful in contact with skin and if swallowed.</li> <li>R41- Risk of serious damage to eyes.</li> <li>R36- Irritating to eyes.</li> <li>R43- May cause sensitisation by skin contact.</li> <li>R50- Very toxic to aquatic organisms.</li> </ul>
Full text of classifications referred to in sections 2 and 3 - Europe	:	Xn - Harmful Xi - Irritant N - Dangerous for the environment
<u>History</u>		
Date of printing	:	20/07/2011.
Date of issue	:	01/07/2011.

Date of previous issue	: 28/06/2011.
Version	: 5
Prepared by	: Not available.

✓ Indicates information that has changed from previously issued version.

#### **References**

The Health and Safety At Work Act 1974, section 6. Control of Substances Hazardous to Health (CoSHH) Regulations 2002 and its amendments.

Preparation contains soley TSCA and REACh 1907/2006 listed substances.

This safety data sheet has been prepared in accordance with the requirements of the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 which implement EC Directives 1999/45/EC and 2001/58/EC and their amendments.

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

