# SAFETY DATA SHEET



### **Central Heating Boiler Noise Silencer F2**

### 1. Identification of the preparation and of the company

**Product name:** Central Heating Boiler Noise

Silencer F2

**Code** : 57845

**Head Office**: Cookson Electronics

Forsyth Road Sheerwater Woking Surrey England GU21 5RZ

Tel: +44(0)1483 758400 Fax: +44(0)1483 728837

Contact person : shosken@cooksonelectronics.com

Material uses: Water-boiler treatment.

Manufacturer : Cookson Electronics

Koenendelseweg 29 5222 BG

's-Hertogenbosch The Netherlands Tel: +31 73 6280 111 Fax: +31 73 6219 283

### 2 Hazards identification

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Not classified.

Skin contact Slightly hazardous by the following route of exposure: of skin contact (irritant).

Toxicity data Not available.

See section 11 for more detailed information on health effects and symptoms.

# 3 Composition/information on ingredients

Substance/preparation : Preparation

Occupational exposure limits, if available, are listed in section 8.

The classifications listed, indecate the potential hazards of the ingredients

### 4. First-aid measures

First-aid measures

Inhalation : Get medical attention if symptoms occur. If unconscious, place in recovery position

and get medical attention immediately. The exposed person may need to be kept

under medical surveillance for 48 hours.

**Ingestion**: Wash out mouth with water. Keep person warm and at rest. If unconscious, place in

recovery position and get medical attention immediately.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Get medical attention if irritation occurs.

**Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

See section 11 for more detailed information on health effects and symptoms.

Date of issue : 23/09/2010. 1/6



### 5. Fire-fighting measures

#### **Extinguishing media**

**Suitable** 

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Special exposure hazards

: In a fire or if heated, a pressure increase will occur and the container may burst.

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Hazardous combustion products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides metal oxide/oxides

Special protective equipment for fire-fighters

 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### 6. Accidental release measures

**Personal precautions** 

: Use suitable protective equipment (section 8).

**Environmental precautions** 

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Large spill

: Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

**Small spill** 

: Move containers from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

### 7. Handling and storage

Handling

: Put on appropriate personal protective equipment (see section 8). Workers should wash hands and face before eating, drinking and smoking. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container.

**Storage** 

: Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Packaging materials

**Recommended**: Use original container.

### 8. Exposure controls/personal protection

#### **Exposure limit values**

Ingredient name

**Occupational exposure limits** 

Europe

No exposure limit value known.

Sweden

No exposure limit value known.

**Denmark** 

No exposure limit value known.

Norway

Date of issue : 23/09/2010. 2/6



Central Heating Boiler Noise Silencer F2

#### **Exposure controls/personal protection** 8.

propane-1,2-diol Arbeidstilsynet (Norway, 11/2007).

> TWA: 79 mg/m<sup>3</sup> 8 hour(s). TWA: 25 ppm 8 hour(s).

**France** 

No exposure limit value known.

**Netherlands** 

No exposure limit value known.

Germany

No exposure limit value known.

**Finland** 

No exposure limit value known.

**United Kingdom (UK)** 

propane-1,2-diol EH40/2005 WELs (United Kingdom (UK), 8/2007).

TWA: 10 mg/m³ 8 hour(s). Form: Particulate

TWA: 474 mg/m³ 8 hour(s). Form: Sum of vapour and particulates TWA: 150 ppm 8 hour(s). Form: Sum of vapour and particulates

**Austria** 

No exposure limit value known.

**Switzerland** 

No exposure limit value known.

**Belgium** 

No exposure limit value known.

**Spain** 

No exposure limit value known.

**Turkey** 

No exposure limit value known.

**Czech Republic** 

No exposure limit value known.

Ireland

propane-1,2-diol NAOSH (Ireland, 8/2007).

OELV-8hr: 10 mg/m3 8 hour(s). Form: particulate

Del Lietuvos Higienos Normos (Lithuania, 10/2007).

OELV-8hr: 470 mg/m<sup>3</sup> 8 hour(s). Form: vapour and particulates OELV-8hr: 150 ppm 8 hour(s). Form: vapour and particulates

No exposure limit value known.

**Estonia** 

No exposure limit value known.

propane-1,2-diol

Lithuania

**Slovakia** 

No exposure limit value known.

Hungary

No exposure limit value known.

**Poland** 

No exposure limit value known.

Slovenia

No exposure limit value known.

Latvia

**Date of issue** : 23/09/2010. 3/6

TWA: 7 mg/m<sup>3</sup> 8 hour(s).

Powered by

Central Heating Boiler Noise Silencer F2

#### 8. **Exposure controls/personal protection**

propane-1,2-diol LV Nat. Standardisation and Meterological Centre (Latvia,

TWA: 7 mg/m<sup>3</sup> 8 hour(s).

**Greece** 

No exposure limit value known.

**Portugal** 

No exposure limit value known.

procedures

**Recommended monitoring**: Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

#### **Exposure controls**

**Occupational exposure** 

controls

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Respiratory protection** 

: Recommended:None assigned.

**Hand protection** 

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. <1 hours (breakthrough time): disposable vinyl

Eye protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: None assigned.

**Skin protection** 

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: None assigned.

**Environmental exposure** 

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### Physical and chemical properties 9.

#### **General information**

**Appearance** 

**Physical state** : Liquid. Colour : Straw. [Light]

Important health, safety and environmental information

pН

**Boiling point** : 100°C (212°F)

Solubility : Easily soluble in the following materials: cold water and hot water.

Vapour density : >1 [Air = 1]

: 0 % (w/w) [ISO % 11890-2] **VOC** content

Date of issue : 23/09/2010.



Central Heating Boiler Noise Silencer F2

### 10. Stability and reactivity

Stability : The product is stable.

Conditions to avoid : No specific data.

Materials to avoid : No specific data.

Hazardous decomposition

products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### 11. Toxicological information

#### Potential acute health effects

Inhalation

: Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.

Ingestion

: Acute oral toxicity (LD50) Rat >2000 mg/Kg No known significant effects or critical hazards.

Skin contact
Eye contact
Acute toxicity

No known significant effects or critical hazards.No known significant effects or critical hazards.

Over-exposure signs/symptoms

## 12. Ecological information

Aquatic ecotoxicity
Biodegradability

Other adverse effects

AOX

: No known significant effects or critical hazards.

: The product does not contain organically bound halogens which could lead to an AOX value in waste water.

## 13. Disposal considerations

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

European waste catalogue (EWC)

.

: 16 03 04 inorganic wastes other than those mentioned in 16 03 03

**Hazardous waste** 

: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

## 14. Transport information

#### **International transport regulations**

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA Class	Not regulated.	-	-	-		-

PG\*: Packing group

Date of issue : 23/09/2010. 5/6



### Regulatory information

### **EU regulations**

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

**Risk phrases**: This product is not classified according to EU legislation.

Safety phrases : S37- Wear suitable gloves.

**Product use** : Consumer applications, Industrial applications.

**Germany** 

Hazard class for water : 2 Appendix No. 4

<u>Italy</u>

Emission control directive : Not classified.

### Other information

#### **History**

Date of printing : 20/07/2011.

Date of issue : 23/09/2010.

Date of previous issue : 31/07/2010.

Version : 4

Prepared by : Simon Hosken

Environmental, Health and Safety Manager

**V**Indicates information that has changed from previously issued version.

### **References**

The Health and Safety At Work Act 1974, section 6.

Control of Substances Hazardous to Health (CoSHH) Regulations 2002 and its amendments.

Preparation contains soley TSCA and REACh 1907/2006 listed substances.

This safety data sheet has been prepared in accordance with the requirements of the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 which implement EC Directives 1999/45/EC and 2001/58/EC and their amendments.

#### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue : 23/09/2010. 6/6

