

# SAFETY DATA SHEET



Cookson Electronics ASSEMBLY MATERIALS

## DS-3 30kg

### 1. Identification of the preparation and of the company

**Product name** : DS-3 30kg**Code** : 24066**Head Office** : **Cookson Electronics**  
Forsyth Road  
Sheerwater  
Woking  
Surrey  
England  
GU21 5RZ  
Tel: +44(0)1483 758400  
Fax: +44(0)1483 728837**Manufacturer** : Cookson Electronics  
Forsyth Road  
Sheerwater  
Woking  
Surrey  
England  
GU21 5RZ  
Tel: +44(0)1483 758400  
Fax: +44(0)1483 728837**Contact person** : shosken@cooksonelectronics.com**Material uses** : Water-conditioning agent.

### 2 Hazards identification

The product is classified as dangerous according to Directive 1999/45/EC and its amendments.

**Classification** : Xi; R36/38  
R52/53

#### Effects and symptoms

**Inhalation**

Inhalation of dust will produce irritation to gastro-intestinal or respiratory tract, characterised by burning, sneezing and coughing.

**Ingestion**

May cause burns to mouth, throat and stomach.

**Skin contact**

Slightly hazardous by the following route of exposure: of skin contact (irritant).

**Eye contact**

Hazardous by the following route of exposure: of eye contact (irritant).

**Toxicity data**

Not available.

See section 11 for more detailed information on health effects and symptoms.

### 3 Composition/information on ingredients

**Substance/preparation** : Preparation

Ingredient name	CAS number	%	EC number	Classification
Europe sulphamidic acid	5329-14-6	80 - 100	226-218-8	Xi; R36/38 R52/53
See section 16 for the full text of the R-phrases declared above				

Occupational exposure limits, if available, are listed in section 8.

The classifications listed, indicate the potential hazards of the ingredients

**Date of issue** : 23/09/2010.

1/8

## 4. First-aid measures

### First-aid measures

- Inhalation** : Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Ingestion** : Wash out mouth with water. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

See section 11 for more detailed information on health effects and symptoms.

## 5. Fire-fighting measures

### Extinguishing media

- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
- Not suitable** : None known.
- Special exposure hazards** : No specific fire or explosion hazard.  
Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. This material is harmful to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
- Hazardous combustion products** : Decomposition products may include the following materials:  
carbon dioxide  
carbon monoxide  
nitrogen oxides  
sulfur oxides
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Accidental release measures

- Personal precautions** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see section 8).
- Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material.
- Large spill** : Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

**Date of issue** : 23/09/2010.

2/8

## 6. Accidental release measures

**Small spill** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

## 7. Handling and storage

**Handling** : Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

**Storage** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

### Packaging materials

**Recommended** : Use original container.

## 8. Exposure controls/personal protection

### Exposure limit values

<u>Ingredient name</u>	<u>Occupational exposure limits</u>
<b>Europe</b>	
No exposure limit value known.	
<b>Sweden</b>	
No exposure limit value known.	
<b>Denmark</b>	
No exposure limit value known.	
<b>Norway</b>	
No exposure limit value known.	
<b>France</b>	
No exposure limit value known.	
<b>Netherlands</b>	
No exposure limit value known.	
<b>Germany</b>	
No exposure limit value known.	
<b>Finland</b>	
No exposure limit value known.	
<b>United Kingdom (UK)</b>	
Not available.	Not available.
<b>Austria</b>	
No exposure limit value known.	
<b>Switzerland</b>	
No exposure limit value known.	
<b>Belgium</b>	
No exposure limit value known.	
<b>Spain</b>	
No exposure limit value known.	

## 8. Exposure controls/personal protection

### Turkey

No exposure limit value known.

### Czech Republic

No exposure limit value known.

### Ireland

No exposure limit value known.

### Italy

No exposure limit value known.

### Estonia

No exposure limit value known.

### Lithuania

No exposure limit value known.

### Slovakia

No exposure limit value known.

### Hungary

No exposure limit value known.

### Poland

No exposure limit value known.

### Slovenia

No exposure limit value known.

### Latvia

No exposure limit value known.

### Greece

No exposure limit value known.

### Portugal

No exposure limit value known.

**Recommended monitoring procedures** : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to European Standard EN 689 for methods for the assessment of exposure by inhalation to chemical agents and national guidance documents for methods for the determination of hazardous substances.

### Exposure controls

**Occupational exposure controls** : No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Respiratory protection** : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended:None assigned.

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. <1 hours (breakthrough time): disposable vinyl

## 8. Exposure controls/personal protection

- Eye protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. Recommended: safety glasses with side-shields EN 166 1F
- Skin protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: None assigned.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. Physical and chemical properties

### General information

#### Appearance

- Physical state** : Solid.
- Colour** : Yellow.
- Odour** : acidic smell

### Important health, safety and environmental information

- pH** : 2 [Conc. (% w/w): 1%]
- Melting point** : 205°C (401°F)
- Solubility** : Soluble in the following materials: cold water and hot water.
- VOC content** : 0 % (w/w) [ISO % 11890-2]

## 10. Stability and reactivity

- Stability** : The product is stable.
- Conditions to avoid** : No specific data.
- Materials to avoid** : No specific data.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological information

### Potential acute health effects

- Inhalation** : Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
- Ingestion** : Irritating to mouth, throat and stomach.
- Skin contact** : Irritating to skin.
- Eye contact** : Irritating to eyes.

### Acute toxicity

### Over-exposure signs/symptoms

- Target organs** : Contains material which may cause damage to the following organs: skin, eyes.

## 12. Ecological information

### Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
-------------------------	------	--------	---------	----------

## 12. Ecological information

sulphamic acid	-	Acute LC50 70300 to 84000 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - 0.3 to 1 g	96 hours
	-	Acute LC50 14200 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas	96 hours

### Biodegradability

### Other adverse effects

: No known significant effects or critical hazards.

### AOX

: The product contains organically bound halogens and can contribute to the AOX value in waste water.

## 13. Disposal considerations

### Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

### European waste catalogue (EWC)




: 16 03 03\* inorganic wastes containing dangerous substances

### Hazardous waste

: Yes.

## 14. Transport information

### International transport regulations

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
<b>ADR/RID Class</b>	2967	Sulphamic acid (sulphamic acid)	8	III		<b>Hazard identification number</b> 80  <b>CEPIC Tremcard</b> 80GC9-III
<b>IMDG Class</b>	2967	Sulphamic acid (sulphamic acid)	8	-		<b>Emergency schedules (EmS)</b> F-A, S-B
<b>IATA Class</b>	2967	Sulphamic acid (sulphamic acid)	8	III		<b>Passenger and Cargo Aircraft</b> Quantity limitation: 5 kg <b>Cargo Aircraft Only</b> Quantity limitation: 60 kg

PG\* : Packing group

## 15. Regulatory information

### EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Hazard symbol or symbols :



Irritant

**Risk phrases** : R36/38- Irritating to eyes and skin.  
R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety phrases** : S2- Keep out of the reach of children.  
S26- In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S28- After contact with skin, wash immediately with plenty of water.  
S61- Avoid release to the environment. Refer to special instructions/safety data sheet.

**Product use** : Consumer applications, Industrial applications.

### Germany

**Hazard class for water** : nwg Appendix No. 4

**Technical instruction on air quality control** : TA-Luft Number 5.2.1: 95.1%

### Italy

**Emission control directive** : Not classified.

## 16. Other information

**Full text of R-phrases referred to in sections 2 and 3 - Europe** : R36/38- Irritating to eyes and skin.  
R52/53- Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Full text of classifications referred to in sections 2 and 3 - Europe** : Xi - Irritant

### History

**Date of printing** : 20/07/2011.

**Date of issue** : 23/09/2010.

**Date of previous issue** : 29/07/2010.

**Version** : 10

**Prepared by** : Simon Hosken  
Environmental, Health and Safety Manager

✔ Indicates information that has changed from previously issued version.

### References

The Health and Safety At Work Act 1974, section 6.  
Control of Substances Hazardous to Health (CoSHH) Regulations 2002 and its amendments.

Preparation contains solely TSCA and REACH 1907/2006 listed substances.

This safety data sheet has been prepared in accordance with the requirements of the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 which implement EC Directives 1999/45/EC and 2001/58/EC and their amendments.

### Notice to reader

**Date of issue** : 23/09/2010.

7/8

## 16. Other information

*To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.*

*Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.*