SAFETY DATA SHEET



Fluxite paste 100g

1. Identification of the preparation and of the company

Product name	:	Fluxite paste 100g			
Code	:	22193			
Head Office	:	Cookson Electronics Forsyth Road Sheerwater Woking Surrey England GU21 5RZ Tel: +44(0)1483 758400 Fax: +44(0)1483 728837	Manufacturer	:	Cookson Electronics Forsyth Road Sheerwater Woking Surrey England GU21 5RZ Tel: +44(0)1483 758400 Fax: +44(0)1483 728837
Contact person	:	shosken@cooksonelectronics.com			
Material uses	:	soldering			
Hazards	s i	dentification			
e product is class	ifie	d as dangerous according to Direc	tive 1999/45/EC an	d its	amendments.

•		
Classification	: C; R34	
	N; R50/53	
Effects and symptoms		
Inhalation	Inhalation of dust will produce irritation to gastro-intestinal or respiratory tract, characterised by burning, sneezing and coughing. Over-exposure by inhalation may cause respiratory irritation. May be fatal if inhaled.	
Ingestion	May cause burns to mouth, throat and stomach.	
Skin contact	Hazardous by the following route of exposure: of skin contact (corrosive).	
Eye contact	Hazardous by the following route of exposure: of eye contact (corrosive). Slightly hazardous by the following route of exposure: of eye contact (irritant).	
Toxicity data	Not available.	
• • • • •		

See section 11 for more detailed information on health effects and symptoms.

3 Composition/information on ingredients

Substance/preparation : Preparation						
Ingredient name	CAS number	%	EC number	Classification		
Europe						
zinc chloride	7646-85-7	10 - 15	231-592-0	Xn; R22 C; R34 N; R50/53		
See section 16 for the full text of the R-phrases declared above						

Occupational exposure limits, if available, are listed in section 8.

The classifications listed, indecate the potential hazards of the ingredients



4. First-aid measures

First-aid measures	
Inhalation	: Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personne It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately.
Ingestion	: Get medical attention immediately. Wash out mouth with water. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Get medical attention immediately. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Eye contact	: Get medical attention immediately. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.
Notes to physician	: No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

See section 11 for more detailed information on health effects and symptoms.

5. Fire-fighting measures

: Use an extinguishing agent suitable for the surrounding fire.
: None known.
: No specific fire or explosion hazard.
Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. This material is very toxic to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
 Decomposition products may include the following materials: halogenated compounds metal oxide/oxides
: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental release measures

Personal precautions: No action shall be taken involving any personal risk or without suitable training.
Evacuate surrounding areas. Keep unnecessary and unprotected personnel from
entering. Do not touch or walk through spilt material. Provide adequate ventilation.
Wear appropriate respirator when ventilation is inadequate. Put on appropriate
personal protective equipment (see section 8).



Fluxite paste 100g	
6. Accidental re	lease measures
Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities.
Large spill	: Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.
Small spill	: Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.
7. Handling and	storage
Handling	: Put on appropriate personal protective equipment (see section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. Refer to special instructions/safety data sheet. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear

appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers.

Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

: Use original container.

Storage

Packaging materials Recommended

<u>Exposure limit values</u>				
Ingredient name		Occupational exposure limits		
Europe				
zinc chloride		ACGIH TLV (United States, 1/2008). STEL: 2 mg/m ³ 15 minute(s). Form: Fume TWA: 1 mg/m ³ 8 hour(s). Form: Fume		
Sweden				
zinc chloride		AFS 2005:17 (Sweden, 6/2007). TWA: 1 mg/m ³ 8 hour(s). Form: respirable dust		
Denmark				
zinc chloride		Arbejdstilsynet (Denmark, 3/2008). Notes: calculated as Zn TWA: 0.5 mg/m ³ , (calculated as Zn) 8 hour(s). TWA: 0.5 mg/m ³ , (calculated as Zn) 8 hour(s). Form: fume		
Norway				
zinc chloride		Arbeidstilsynet (Norway, 11/2007). TWA: 1 mg/m ³ 8 hour(s).		
France				
zinc chloride		INRS (France, 12/2007). Notes: indicative exposure limits TWA: 1 mg/m ³ 8 hour(s). Form: fume		
Netherlands				
zinc chloride		Nationale MAC-lijst (Netherlands, 7/2006). Notes: Administrativ OEL, 8-h TWA: 1 mg/m ³ 8 hour(s). Form: fume		
Germany				
Date of issue	: 23/09/2010.	3/10		

Fluxite	paste	100a
I JUANCE	pusic	loog

Exposure controls/personal protection 8.

No exposure limit value known.

Finland

zinc chloride

United Kingdom (UK)

zinc chloride

Austria

No exposure limit value known.

Switzerland zinc chloride

Belgium zinc chloride

Spain

zinc chloride

Turkey zinc chloride

Czech Republic zinc chloride

Ireland zinc chloride

Italy zinc chloride

Estonia zinc chloride

Lithuania zinc chloride

Slovakia No exposure limit value known.

Hungary No exposure limit value known.

Poland zinc chloride

Slovenia

Date of issue

: 23/09/2010.

Työterveyslaitos, Sosiaali- ja terveysministeriö (Finland, 8/2007).

TWA: 1 mg/m³ 8 hour(s). Form: fume

EH40/2005 WELs (United Kingdom (UK), 8/2007). STEL: 2 mg/m³ 15 minute(s). Form: Fume TWA: 1 mg/m³ 8 hour(s). Form: Fume

SUVA (Switzerland, 1/2007). Notes: not temporary TWA: 1 mg/m³ 8 hour(s). Form: respirable dust and fumes

Lijst Grenswaarden / Valeurs Limites (Belgium, 6/2007). STEL: 2 mg/m³ 15 minute(s). Form: fume TWA: 1 mg/m³ 8 hour(s). Form: fume

INSHT (Spain, 1/2008).

STEL: 2 mg/m³ 15 minute(s). Form: fume TWA: 1 mg/m³ 8 hour(s). Form: fume

NIOSH REL (United States, 6/2008).

STEL: 2 mg/m³ 15 minute(s). Form: Fume TWA: 1 mg/m³ 10 hour(s). Form: Fume

178/2001 (Czech Republic, 12/2007). STEL: 2 mg/m³ 15 minute(s). TWA: 1 mg/m³ 8 hour(s).

NAOSH (Ireland, 8/2007).

OELV-15min: 2 mg/m³ 15 minute(s). Form: fume OELV-8hr: 1 mg/m³ 8 hour(s). Form: fume

ACGIH TLV (United States, 1/2008). STEL: 2 mg/m³ 15 minute(s). Form: Fume TWA: 1 mg/m³ 8 hour(s). Form: Fume

Sotsiaalminister (Estonia, 10/2007). TWA: 1 mg/m³ 8 hour(s). Form: inhalable dust

Del Lietuvos Higienos Normos (Lithuania, 10/2007). TWA: 1 mg/m³ 8 hour(s). Form: alveolar

Ministra Pracy i Polityki Społecznej (Poland, 9/2007). STEL: 2 mg/m³ 15 minute(s). Form: smokes TWA: 1 mg/m³ 8 hour(s). Form: smokes



Fluxite paste 100g				
วท	. Exposure contro			
	lo exposure limit value known.			
	atvia			
	lo exposure limit value known.			
	ireece			
e, 8/2007). minute(s). our(s).	inc chloride			
	ortugal			
s da Qualidade (Portugal, 3/2007). minute(s). Form: fume our(s). Form: fume	inc chloride			
with exposure limits, personal, workplace may be required to determine the effectiveness easures and/or the necessity to use respiratory hould be made to European Standard EN 689 for osure by inhalation to chemical agents and ethods for the determination of hazardous	procedures a c r r			
	<u>kposure controls</u>			
nes, gas, vapour or mist, use process or other engineering controls to keep worker below any recommended or statutory limits.	controls			
broughly after handling chemical products, before ory and at the end of the working period. sed to remove potentially contaminated clothing. reusing. Ensure that eyewash stations and kstation location.				
air-fed respirator complying with an approved ates this is necessary. Respirator selection must xposure levels, the hazards of the product and ed respirator. Recommended: None assigned.	s			
es complying with an approved standard should chemical products if a risk assessment indicates nrough time): disposable vinyl	- t			
pproved standard should be used when a risk ary to avoid exposure to liquid splashes, mists or .EN 166 3 9 -B	á			
ne body should be selected based on the task ved and should be approved by a specialist mmended: overall	t			
process equipment should be checked to ensure of environmental protection legislation. In some gineering modifications to the process equipment ns to acceptable levels.	controls t			
of environmental p gineering modifica	controls t			

General information	
Appearance	
Physical state	: Solid. [Paste.]
Colour	: Amber.
Odour	: Characteristic.
Important health, safety	v and environmental information
Solubility	: Very slightly soluble in the following materials: cold water and hot water.
VOC content	: 0 % (w/w) [ISO % 11890-2]

Date of issue

: 23/09/2010.



10. Stability and reactivity

Hazardous decomposition products	1	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Materials to avoid	1	No specific data.
Conditions to avoid	1	Avoid release to the environment. Refer to special instructions/safety data sheet.
Stability	:	The product is stable.

11. Toxicological information

Potential acute health effectsInhalation: May give off gas, vapor or dust that is very irritating or corrosive to the respiratory
system.Ingestion: May cause burns to mouth, throat and stomach.Skin contact: Corrosive to the skin. Causes burns.Eye contact: Corrosive to eyes. Causes burns.Acute toxicity

Over-exposure signs/symptoms

```
Target organs
```

: Contains material which may cause damage to the following organs: lungs, cardiovascular system, upper respiratory tract, skin, eye, lens or cornea.

12. Ecological information

Aquatic ecotoxicity

Product/ingredient name zinc chloride	Test -	Result Acute EC50 164 to 170 ug/L Fresh water	Species Crustaceans - Calanoid copepod - Skistodiaptomus oregonensis - Juvenile (Fledgling, Hatchling, Weanling)	Exposure 48 hours
	-	Acute EC50 100 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - 12 hours	48 hours
	-	Acute EC50 81 to 94 ug/L Fresh water	Crustaceans - Calanoid copepod - Diaptomus leptopus	48 hours
	-	Acute EC50 73 to 82 ug/L Fresh water	Crustaceans - Calanoid copepod - Diaptomus leptopus	48 hours
	-	Acute EC50 52 to 94 ug/L Fresh water	Crustaceans - Cyclopoid copepod - Tropocyclops prasinus mexicanus - 0.54 mm	48 hours
	-	Acute LC50 0.21 mg/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate - <24 hours	48 hours
	-	Acute LC50 260 to 350 ug/L Fresh	Daphnia - Water flea - Daphnia	48 hours



Fluxite paste 100g

12. Ecological information

water pulex - >=6 daysAcute LC50 Daphnia - Water 48 hours 232.488 to flea - Daphnia 251.478 ug/L pulex - Adult Fresh water Daphnia - Water Acute LC50 210 48 hours ug/L Fresh water flea - Daphnia magna - Neonate - <24 hours Acute LC50 Crustaceans -48 hours 205.31 ug/L Water flea -Fresh water Moina irrasa -Neonate - <24 hours Acute LC50 163 Daphnia - Water 48 hours ug/L Fresh water flea -Ceriodaphnia dubia - <4 hours Acute LC50 Crustaceans -48 hours 152.51 ug/L Water flea -Fresh water Moina irrasa -Neonate - <24 hours Acute LC50 Daphnia - Water 48 hours 127.7 to 151.9 flea ug/L Fresh water Ceriodaphnia dubia - <24 hours Fish - Striped Acute LC50 100 96 hours ug/L Fresh water bass - Morone saxatilis -LARVAE Acute LC50 97 to Fish - Chinook 96 hours 108 ug/L Fresh salmon -Oncorhynchus water tshawytscha -Swim-up - 0.23 g Acute LC50 97 to Fish - Rainbow 96 hours 112 ug/L Fresh trout,donaldson water trout -Oncorhynchus mykiss - FRY -2.36 to 3.01 g Acute LC50 95 to Fish - Rainbow 96 hours 159 ug/L Fresh trout,donaldson water trout -Oncorhynchus mykiss - Juvenile (Fledgling, Hatchling, Weanling) - 7 months - 8.6 cm -4.95 g Acute LC50 93 to Fish - Rainbow 96 hours 107 ug/L Fresh trout,donaldson water trout -Oncorhynchus mykiss - Swimup - 0.17 g Acute LC50 Crustaceans -48 hours 92.88 ug/L Fresh Water flea water Moina irrasa -Neonate - <24 hours Acute LC50 48 hours Crustaceans -





Fluxite paste 100g

12. Ecological information

77.46 ug/L Fresh water	Water flea - Moina irrasa - Neonate - <24 hours	
Acute LC50 66 to 79 ug/L Fresh water	Fish - Rainbow trout,donaldson trout - Oncorhynchus mykiss - FRY - 2.36 to 3.01 g	96 hours
Acute LC50 59.24 ug/L Fresh water	Crustaceans - Water flea - Moina irrasa - Neonate - <24 hours	48 hours
Acute LC50 49.99 ug/L Fresh water	Crustaceans - Water flea - Moina irrasa - Neonate - <24 hours	48 hours
Acute LC50 30 ug/L Marine water	Fish - Inland silverside - Menidia beryllina - 14 days	96 hours
Chronic LOAEL 250 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate - <24 hours	2 days
Chronic NEL 170 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate - <24 hours	2 days
Chronic NOEC 0.275 mg/l Fresh water	Daphnia - Water flea - Daphnia magna - Neonate	
Chronic NOEC 40 ug/l Fresh water	Fish - Mozambique tilapia - Tilapia mossambica - 20 cm - 90 g	96 hours

Biodegradability

Other adverse effects : No known significant effects or critical hazards.

Disposal considerations 13.

Methods of disposal	:	The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
European waste catalogue (EWC)	:	16 03 05* organic wastes containing dangerous substances
Hazardous waste	:	Yes.

Date of issue

: 23/09/2010.



14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADR/RID Class	1759	Corrosive solid, n.o.s. (zinc chloride)	8	111	R R R R R R R R R R R R R R R R R R R	Hazard identification number 80
					¥2	CEFIC Tremcard 80GC9-III
IMDG Class	1759	Corrosive solid, n.o.s. (zinc chloride)	8			<u>Emergency</u> <u>schedules (EmS)</u> F-A, S-B
IATA Class	1759	Corrosive solid, n.o.s. (zinc chloride)	8			Passenger and Cargo Aircraft Quantity limitation: 5 L Cargo Aircraft Only Quantity limitation: 60 L

PG* : Packing group

15. Regulatory information

EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Hazard symbol or symbols	:			
		Corrosive, Dangerous for the environment		
Risk phrases	:	R34- Causes burns. R50/53- Very toxic to aquatic organisms, may cause aquatic environment.	e long-term adverse effects	in the
Safety phrases	:	 S1/2- Keep locked up and out of the reach of childred S26- In case of contact with eyes, rinse immediately medical advice. S29- Do not empty into drains. S36/37/39- Wear suitable protective clothing, gloves S45- In case of accident or if you feel unwell, seek r (show the label where possible). S61- Avoid release to the environment. Refer to specified. 	with plenty of water and se and eye/face protection. nedical advice immediately	
Contains	:	zinc chloride	231-592-0	
Product use	:	Consumer applications, Industrial applications.		
Other EU regulations				
Child protection	1	Yes, applicable.		
Tactile warning of danger <u>Germany</u>	:	Yes, applicable.		
Date of issue	:	23/09/2010.		9/10



15. Regulatory information

· · · · · · · · · · · · · · · · · · ·	
Hazardous incident ordinance	: Applicable. Category: 9a Dangerous for the environment.
Hazard class for water	: 3 Appendix No. 4
Technical instruction on air quality control	: TA-Luft Number 5.2.1: 89.9-90.1%
<u>Italy</u>	
Emission control directive	: Not classified.

16. Other information

Full text of R-phrases referred to in sections 2 and 3 - Europe	: R22- Harmful if swallowed. R34- Causes burns. R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Full text of classifications referred to in sections 2 and 3 - Europe	: C - Corrosive Xn - Harmful N - Dangerous for the environment
<u>History</u>	
Date of printing	: 20/07/2011.
Date of issue	: 23/09/2010.

Date of issue	: 23/09/2010.
Date of previous issue	: 29/07/2010.
Version	: 5
Prepared by	: Simon Hosken Environmental, Health and Safety Manager

✓ Indicates information that has changed from previously issued version.

References

The Health and Safety At Work Act 1974, section 6. Control of Substances Hazardous to Health (CoSHH) Regulations 2002 and its amendments.

Preparation contains soley TSCA and REACh 1907/2006 listed substances.

This safety data sheet has been prepared in accordance with the requirements of the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 which implement EC Directives 1999/45/EC and 2001/58/EC and their amendments.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

