# **SAFETY DATA SHEET**



### HP-5C 25Ltr

# 1. Identification of the preparation and of the company

Product name: HP-5C 25Ltr

Code : 59378

**Head Office**: Cookson Electronics

Forsyth Road Sheerwater Woking Surrey England

GU21 5RZ Tel: +44(0)1483 758400 Fax: +44(0)1483 728837

Contact person : shosken@cooksonelectronics.com

Manufacturer : Cookson

 Cookson Electronics Koenendelseweg 29

5222 BG

's-Hertogenbosch The Netherlands Tel: +31 73 6280 111 Fax: +31 73 6219 283

## 2 Hazards identification

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification : Not classified.

**Effects and symptoms** 

.

Skin contact : Not available.

Eye contact : Not available.

Toxicity data : Not available.

Additional warning phrases : Cont

: Contains chlorocresol. May produce an allergic reaction. Safety data sheet available

for professional user on request.

See section 11 for more detailed information on health effects and symptoms.

# 3 Composition/information on ingredients

Substance/preparation : Preparation

Ingredient name	CAS number	%	EC number	Classification
Europe triethanolamine	102-71-6	1 - 5	203-049-8	Not classified.
See section 16 for the full text of the R-phrases declared above				

Occupational exposure limits, if available, are listed in section 8.

The classifications listed, indecate the potential hazards of the ingredients

### 4. First-aid measures

First-aid measures

**Inhalation** : Get medical attention if symptoms occur.

**Ingestion**: Wash out mouth with water. Do not induce vomiting unless directed to do so by

medical personnel. If vomiting occurs, the head should be kept low so that vomit

does not enter the lungs. Get medical attention if symptoms occur.

**Skin contact** : Flush contaminated skin with plenty of water. Get medical attention if symptoms

occur.

Date of issue : 02/12/2010. 1/7



### First-aid measures

**Eve contact** 

Check for and remove any contact lenses. Flush with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention if irritation occurs.

**Protection of first-aiders** 

Notes to physician

- No action shall be taken involving any personal risk or without suitable training.
- : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

See section 11 for more detailed information on health effects and symptoms.

#### 5. Fire-fighting measures

**Extinguishing media** 

**Suitable** 

: Use an extinguishing agent suitable for the surrounding fire.

Not suitable

: None known.

Special exposure hazards

: In a fire or if heated, a pressure increase will occur and the container may burst. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable

**Hazardous combustion** products

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide nitrogen oxides

**Special protective** equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### Accidental release measures 6.

**Personal precautions** 

: Put on appropriate personal protective equipment (see section 8).

**Environmental precautions** 

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental

pollution (sewers, waterways, soil or air).

Large spill

: Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Use a water rinse for final clean-up. Dispose of via a licensed waste disposal contractor.

**Small spill** 

: Dilute with plenty of water. Use a water rinse for final clean-up.

# Handling and storage

Handling

: Put on appropriate personal protective equipment (see section 8). Do not reuse

**Storage** 

: Use appropriate containment to avoid environmental contamination.

**Packaging materials** 

Recommended : Use original container.

Czech Republic - Storage

code

#### **Exposure controls/personal protection** 8.

: 111

**Exposure limit values** 

Date of issue : 02/12/2010.



# 8. Exposure controls/personal protection

Ingredient name Occupational exposure limits

**Europe** 

triethanolamine ACGIH TLV (United States, 1/2007).

TWA: 5 mg/m<sup>3</sup> 8 hour(s).

**Sweden** 

triethanolamine AFS (Sweden, 6/2005).

STEL: 10 mg/m³ 15 minute(s). TWA: 5 mg/m³ 8 hour(s).

**Denmark** 

triethanolamine Arbejdstilsynet (Denmark, 4/2005).

TWA: 3.1 mg/m<sup>3</sup> 8 hour(s). TWA: 0.5 ppm 8 hour(s).

**Norway** 

propane-1,2-diol Arbeidstilsynet (Norway, 11/2007).

TWA: 79 mg/m<sup>3</sup> 8 hour(s). TWA: 25 ppm 8 hour(s).

triethanolamine Arbeidstilsynet (Norway, 10/2003).

TWA: 5 mg/m<sup>3</sup> 8 hour(s).

**France** 

No exposure limit value known.

**Netherlands** 

No exposure limit value known.

Germany

No exposure limit value known.

**Finland** 

No exposure limit value known.

**United Kingdom (UK)** 

propane-1,2-diol EH40/2005 WELs (United Kingdom (UK), 8/2007).

TWA: 10 mg/m3 8 hour(s). Form: Particulate

TWA: 474 mg/m³ 8 hour(s). Form: Sum of vapour and particulates TWA: 150 ppm 8 hour(s). Form: Sum of vapour and particulates

**Austria** 

triethanolamine GKV\_MAK (Austria, 6/2006).

: 02/12/2010.

STEL: 10 mg/m³, 4 times per shift, 15 minute(s). Form: Inhalable

fraction

STEL: 1.6 ppm, 4 times per shift, 15 minute(s). Form: Inhalable

fraction

TWA: 5 mg/m³ 8 hour(s). Form: Inhalable fraction TWA: 0.8 ppm 8 hour(s). Form: Inhalable fraction

**Switzerland** 

No exposure limit value known.

**Belgium** 

triethanolamine Lijst Grenswaarden / Valeurs Limites (Belgium, 3/2006).

TWA: 5 mg/m<sup>3</sup> 8 hour(s).

INSHT (Spain, 1/2007). TWA: 5 mg/m<sup>3</sup> 8 hour(s).

**Spain** 

triethanolamine

Turkey

No exposure limit value known.

**Czech Republic** 

**Date of issue** 

I

Powered by ATRION

3/7

## **Exposure controls/personal protection**

178/2001 (Czech Republic, 6/2004). triethanolamine

> STEL: 10 mg/m<sup>3</sup> 10 minute(s). STEL: 1.64 ppm 10 minute(s). TWA: 5 mg/m<sup>3</sup> 8 hour(s). TWA: 0.82 ppm 8 hour(s).

Ireland

propane-1,2-diol NAOSH (Ireland, 8/2007).

OELV-8hr: 10 mg/m3 8 hour(s). Form: particulate

OELV-8hr: 470 mg/m<sup>3</sup> 8 hour(s). Form: vapour and particulates OELV-8hr: 150 ppm 8 hour(s). Form: vapour and particulates

NAOSH (Ireland, 3/2002).

OELV-8hr: 5 mg/m3 8 hour(s).

Italy

triethanolamine

triethanolamine ACGIH TLV (United States, 1/2007).

TWA: 5 mg/m<sup>3</sup> 8 hour(s).

**Estonia** 

triethanolamine Sotsiaalminister (Estonia, 9/2001).

> STEL: 10 MG/M3 15 minute(s). TWA: 5 MG/M3 8 hour(s).

Lithuania

propane-1,2-diol Del Lietuvos Higienos Normos (Lithuania, 10/2007).

TWA: 7 mg/m<sup>3</sup> 8 hour(s).

triethanolamine Del Lietuvos Higienos Normos (Lithuania, 12/2001).

> STEL: 10 MG/M3 15 minute(s). TWA: 5 MG/M3 8 hour(s).

**Slovakia** 

No exposure limit value known.

Hungary

No exposure limit value known.

**Poland** 

No exposure limit value known.

Slovenia

triethanolamine Uradni list Republike Slovenije (Slovenia, 4/2005).

TWA: 5 MG/M3 8 hour(s). Form: Inhalable fraction

Latvia

propane-1,2-diol LV Nat. Standardisation and Meterological Centre (Latvia,

TWA: 7 mg/m3 8 hour(s).

Greece

No exposure limit value known.

**Portugal** 

triethanolamine Instituto Português da Qualidade (Portugal, 7/2004).

TWA: 5 MG/M3 8 hour(s).

**Recommended monitoring**: None identified.

procedures

**Exposure controls** 

**Occupational exposure** 

controls

: No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

**Hygiene measures** 

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

**Respiratory protection** 

**Hand protection** 

: None assigned.

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates

this is necessary. <1 hours (breakthrough time): disposable vinyl

Date of issue : 02/12/2010.

#### **Exposure controls/personal protection** 8.

: Recommended: None assigned. Eye protection

Skin protection Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist

before handling this product. Recommended: None assigned.

**Environmental exposure** 

controls

None identified.

### 9. Physical and chemical properties

### **General information**

**Appearance** 

**Physical state** : Liquid. Colour Blue.

Important health, safety and environmental information

1.045 **Relative density** 

**VOC** content : 0 % (w/w) [ISO % 11890-2]

#### Stability and reactivity 10.

**Stability** : The product is stable. **Conditions to avoid** No specific data. Materials to avoid No specific data.

**Hazardous decomposition** 

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

# **Toxicological information**

### Potential acute health effects

Inhalation Exposure to decomposition products may cause a health hazard. Serious effects

may be delayed following exposure.

Ingestion : No known significant effects or critical hazards. No known significant effects or critical hazards. Skin contact Eye contact : No known significant effects or critical hazards.

**Acute toxicity** 

Over-exposure signs/symptoms

#### **Ecological information** 12.

### **Aquatic ecotoxicity**

Product/ingredient name Result Test **Species Exposure** triethanolamine Acute EC50 Daphnia - Water 48 hours

> 609.98 to 658.3 flea -

mg/L Fresh water Ceriodaphnia

dubia

Acute LC50 Fish - Fathead 96 hours

> 11800000 to minnow -13000000 ug/L Pimephales Fresh water promelas

Acute LC50 Crustaceans -48 hours

> >100000 ug/L Common shrimp, Marine water sand shrimp -

Crangon crangon

### **Biodegradability**

Other adverse effects No known significant effects or critical hazards.

**Date of issue** : 02/12/2010.



# 12. Ecological information

**AOX** 

: The product contains organically bound halogens and can contribute to the AOX value in waste water.

# 13. Disposal considerations

**Methods of disposal** 

: The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

16 03 06 organic wastes other than those mentioned in 16 03 05

**Hazardous waste** 

: Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.

# 14. Transport information

### **International transport regulations**

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
ADR/RID Class	Not regulated.	-	-	-		-
IMDG Class	Not regulated.	-	-	-		-
IATA Class	Not regulated.	-	-	-		-

PG\*: Packing group

# 15. Regulatory information

### **EU regulations**

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

**Risk phrases**: This product is not classified according to EU legislation.

**Product use** : Consumer applications.

**Other EU regulations** 

**Additional warning** 

phrases Germany : Contains chlorocresol. May produce an allergic reaction. Safety data sheet available

for professional user on request.

**Hazard class for water** 

: 1 Appendix No. 4

**Italy** 

Emission control directive : Not classified.

## 16. Other information

### **History**

Date of printing : 20/07/2011.

Date of issue : 02/12/2010.

Date of previous issue : No previous validation.

Version : 1

Prepared by : Not available.

✓ Indicates information that has changed from previously issued version.

Date of issue : 02/12/2010. 6/7



## 16. Other information

### References

The Health and Safety At Work Act 1974, section 6.

Control of Substances Hazardous to Health (CoSHH) Regulations 2002 and its amendments.

Preparation contains soley TSCA and REACh 1907/2006 listed substances.

This safety data sheet has been prepared in accordance with the requirements of the Chemicals (Hazard Information and Packaging for Supply) Regulations 2002 which implement EC Directives 1999/45/EC and 2001/58/EC and their amendments.

### **Notice to reader**

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue : 02/12/2010. 7/7

