



HENRAD

— The Radiator —



PRODUCT
RANGE

Henrad Compact



With a slim profile and smooth, white finish, Henrad Compact radiators will blend into any room in the house, to provide guaranteed heating performance.

Henrad convector radiators are available in a wide range of outputs and sizes, to ensure that every room in the home can be kept warm and comfortable.

Produced to the highest quality standards, by one of Europe's leading radiator manufacturers, all Henrad radiators conform to BS EN 442.



Stylish top grille and end panels

Top grille designed to reduce dust accumulation

That's why the Henrad convector radiator is the choice of professionals

All radiators conform to BS EN 442

Models:
149

Heights:
300, 450, 600, 700mm

Lengths:
400 - 3000mm


Outputs:
255 - 5196 watts
868 - 17729 Btu/hr

Working pressure:
Tested to withstand 8 bar


Warranty:
10 year manufacturer's guarantee




SINGLE CONVECTOR TYPE 11



SINGLE CONVECTOR TYPE 21



DOUBLE CONVECTOR TYPE 22



Height mm	Length mm	SINGLE CONVECTOR TYPE 11			SINGLE CONVECTOR TYPE 21			DOUBLE CONVECTOR TYPE 22		
		Code	Heat emissions Watts	Btu/hr	Code	Heat emissions Watts	Btu/hr	Code	Heat emissions Watts	Btu/hr
300	500	2031105	255	868	2032105	373	1271	2032205	491	1675
	1000	2031110	509	1737	2032110	745	2542	2032210	982	3351
	1500	2031115	764	2605	2032115	1118	3813	2032215	1473	5026
	2000	2031120	1018	3473	2032120	1490	5084	2032220	1964	6701
450	400	2011104	302	1032	2012104	422	1440	2012204	548	1871
	500	2011105	378	1290	2012105	528	1800	2012205	686	2339
	600	2011106	454	1548	2012106	633	2160	2012206	823	2807
	700	2011107	529	1806	2012107	739	2520	2012207	960	3274
	800	2011108	605	2064	2012108	844	2880	2012208	1097	3742
	900	2011109	680	2322	2012109	950	3240	2012209	1234	4210
	1000	2011110	756	2579	2012110	1055	3600	2012210	1371	4678
	1100	2011111	832	2837	2012111	1161	3960	2012211	1508	5146
	1200	2011112	907	3095	2012112	1266	4320	2012212	1645	5613
	1400	2011114	1058	3611	2012114	1477	5040	2012214	1919	6549
	1600	2011116	1210	4127	2012116	1688	5759	2012216	2194	7485
	1800	2011118	1361	4643	2012118	1899	6479	2012218	2468	8420
	2000	2011120	1512	5159	2012120	2110	7199	2012220	2742	9356
	2200	2011122	1663	5675	-	-	-	2012222	3016	10291
	2400	2011124	1814	6191	-	-	-	2012224	3290	11227
	2600	2011126	1966	6707	-	-	-	2012226	3565	12162
2800	2011128	2117	7223	-	-	-	2012228	3839	13098	
3000	2011130	2268	7738	-	-	-	2012230	4113	14034	
600	400	2061104	392	1338	2062104	538	1836	2062204	693	2364
	500	2061105	490	1672	2062105	673	2295	2062205	866	2955
	600	2061106	588	2006	2062106	807	2753	2062206	1039	3546
	700	2061107	686	2341	2062107	942	3212	2062207	1212	4137
	800	2061108	784	2675	2062108	1076	3671	2062208	1386	4728
	900	2061109	882	3009	2062109	1211	4130	2062209	1559	5319
	1000	2061110	980	3344	2062110	1345	4589	2062210	1732	5910
	1100	2061111	1078	3678	2062111	1480	5048	2062211	1905	6501
	1200	2061112	1176	4013	2062112	1614	5507	2062212	2078	7092
	1400	2061114	1372	4681	2062114	1883	6425	2062214	2425	8273
	1600	2061116	1568	5350	2062116	2152	7343	2062216	2771	9455
	1800	2061118	1764	6019	2062118	2421	8260	2062218	3118	10637
	2000	2061120	1960	6688	2062120	2690	9178	2062220	3464	11819
	2200	2061122	2156	7356	-	-	-	2062222	3810	13001
	2400	2061124	2352	8025	-	-	-	2062224	4157	14183
	2600	2061126	2548	8694	-	-	-	2062226	4503	15365
2800	2061128	2744	9363	-	-	-	2062228	4850	16547	
3000	2061130	2940	10031	-	-	-	2062230	5196	17729	
700	400	2071104	447	1524	2072104	612	2088	2072204	784	2676
	500	2071105	559	1906	2072105	765	2610	2072205	981	3345
	600	2071106	670	2287	2072106	918	3132	2072206	1177	4015
	700	2071107	782	2668	2072107	1071	3654	2072207	1373	4684
	800	2071108	894	3049	2072108	1224	4176	2072208	1569	5353
	900	2071109	1005	3430	2072109	1377	4698	2072209	1765	6022
	1000	2071110	1117	3811	2072110	1530	5220	2072210	1961	6691
	1100	2071111	1229	4192	2072111	1683	5742	2072211	2157	7360
	1200	2071112	1340	4573	2072112	1836	6264	2072212	2353	8029
	1400	2071114	1564	5336	2072114	2142	7309	2072214	2745	9367
	1600	2071116	1787	6098	2072116	2448	8353	2072216	3138	10705
	1800	2071118	2011	6860	2072118	2754	9397	2072218	3530	12044
2000	2071120	2234	7622	2072120	3060	10441	2072220	3922	13382	

Henrad Everest Line



With its flat front panel featuring pleasing horizontal lines the Henrad Everest Line radiator offers contemporary good looks, adding a new dimension to any room.

The Henrad Alto Line radiator incorporates all the features of the Henrad Everest Line but with a vertical line design.



The range consists of three types:

- Single convector type 11
- Double convector type 22
- Double panel type 20

All radiators conform to BS EN 442

4 x ½" BSP connections

Models:
18

Heights:
500, 600, 1600, 1800mm

Lengths:
300 - 1400mm


Outputs:
522 - 1943 watts
1781 - 6630 Btu/hr

Working pressure:
Tested to withstand 8 bar

Warranty:
5 year manufacturer's guarantee

Front panel:
Decorative flat front style with 50mm line spacing

Henrad Alto Line



Height mm	Length mm	Code	Range	Type	Heat emissions	
					Watts	Btu/hr
500	1000	3062214	Everest Line	11	746	2545
	600	3062210	Everest Line	22	833	2842
	800	3061106	Everest Line	22	1110	3787
	1000	3052214	Everest Line	22	1388	4739
	1200	3061108	Everest Line	22	1666	5684
600	1400	3162205	Everest Line	22	1943	6630
	600	3052210	Everest Line	11	522	1781
	800	3061110	Everest Line	11	696	2375
	1000	3062206	Everest Line	11	870	2968
	1200	3062212	Everest Line	11	1044	3562
	600	3052212	Everest Line	22	961	3279
	800	3052206	Everest Line	22	1281	4371
	1000	3051110	Everest Line	22	1601	5463
1600	1200	3052208	Everest Line	22	1921	6554
	1400	3061112	Everest Line	22	1943	6630
1800	300	3062208	Alto Line	20	693	2365
	500	3182205	Alto Line	20	1155	3941
	500	3162203	Alto Line	20	1266	4320

Btu/hr @ DT50°C



Henrad Verona



Offering visual appeal combined with advanced technology, the Verona provides a contemporary solution for a huge range of applications.

With a choice of four types and a variety of sizes and outputs, the Verona allows extensive flexibility of siting, whilst breaking new barriers in heating efficiency.

Verona Plane

Constructed from slim horizontal flat tubes, the Verona Plane offers a new vision for radiators.



Verona Vertical

This resourceful alternative takes the same highly engineered tubes and turns technology on its head, to provide a vertical model.



Verona Lo-Line

With only two panels, this lo-line model is a derivative of the Plane, but offers high performance that belies its size.



Verona Slimline

With all the benefits of the Vertical model, the Verona Slimline offers a subtle change in visual appeal, exhibiting the slim form of the tubes.



Height mm	Length mm	Code	Range	Type	Heat emissions	
					Watts	Btu/hr
144	800	248581	Verona	Lo-Line	530	1809
	2200	248315	Verona	Lo-Line	1459	4979
292	2200	248323	Verona	Lo-Line	2468	8423
	500	248363	Verona	Single Plane	500	1706
588	800	248366	Verona	Single Plane	799	2727
	1000	248368	Verona	Single Plane	999	3409
	1200	248370	Verona	Single Plane	1199	4092
	1400	248371	Verona	Single Plane	1399	4775
1800	320	248300	Verona	Slimline	872	2976
	440	248301	Verona	Slimline	1199	4092
	520	248302	Verona	Slimline	1417	4836
	640	248303	Verona	Slimline	1744	5952
	440	248340	Verona	Vertical	780	2662
	588	248341	Verona	Vertical	1040	3549
2000	320	248304	Verona	Slimline	978	3338
	440	248305	Verona	Slimline	1344	4587
	520	248306	Verona	Slimline	1589	5423
	640	248307	Verona	Slimline	1956	6675
	440	248343	Verona	Vertical	870	2969
	588	248344	Verona	Vertical	1160	3959

All radiators conform to BS EN 442

Models:
20

Heights:
144, 292, 588, 1800, 2000mm

Lengths:
320 - 2200mm

Outputs:
500 - 2468 watts
1706 - 8423 Btu/hr

Working Pressure:
Tested to withstand 6 bar

Warranty:
5 year manufacturer's guarantee

Btu/hr @ DT50°C

Henrad Column



The most modern execution of a traditional concept, this classic style brings innovation and reliability to a high performance design.

Vertical and horizontal options offer a modern alternative to a traditional panel radiator, and will enhance both contemporary and traditional settings.



All radiators conform to
BS EN 442

Models:
20

Heights:
500, 600, 750, 1800,
2000mm


Lengths:
352 - 1870mm

Outputs:
548 - 2436 watts
1871 - 8314 Btu/hr

Types:
2 and 3 columns


Working Pressure:
Tested to withstand 12 bar

Warranty:
5 year manufacturer's
guarantee



Height mm	Length mm	Code	Range	Columns	Heat emissions	
					Watts	Btu/hr
500	858	263018	Column	3	929	3170
	1042	263019	Column	3	1135	3874
	1272	263020	Column	3	1393	4755
	1870	263022	Column	3	2064	7044
600	444	263032	Column	3	548	1871
	598	263028	Column	2	589	2010
	598	263033	Column	3	792	2702
	858	263029	Column	2	815	2783
	858	263034	Column	3	1096	3741
	1042	263030	Column	2	997	3401
	1042	263035	Column	3	1340	4572
	1272	263031	Column	2	1223	4174
	1272	263036	Column	3	1644	5612
	1456	263037	Column	3	1888	6443
750	858	263044	Column	3	1337	4564
	1042	263045	Column	3	1635	5579
1800	352	263054	Column	2	868	2962
	444	263055	Column	2	1028	3506
2000	444	263057	Column	2	1242	4239

Btu/hr @ DT50°C




Technical Data

Henrad Compact & Henrad Everest Line



Wall Mounting Information

All dimensions in mm.


T11



T21




T22




Height	300	450	500	600	700
A	65	65	65	65	65
B	119	99	99	99	99
C	-	269	319	419	519
D	153	303	333	453	553
E	185	335	385	485	585

Mounting Bracket Information

All dimensions in mm.



300mm




Over 300mm

Henrad Alto Line


Wall Mounting Information

All dimensions in mm.



Mounting Bracket Information

All dimensions in mm.




Height	H2	H3	H4
1600	70	915	1415
1800	70	1115	1615
2000	70	1215	1815
2200	70	1315	2015

Henrad Verona


Wall Mounting Information

All dimensions in mm.
 Henrad Verona Single Plane
 Henrad Verona Lo-Line
 Henrad Verona Vertical



Type	From back of radiator to wall D	From wall to centre of connections D1	From front of radiator to wall D2
Verona Single Plane	9	44	69
Verona Vertical	25	44	70

Henrad Verona Slimline



Type	Back face to finished wall D	From wall to centre of connections D1	From front of radiator to wall D2
Verona Slimline	35	50	130


Henrad Column

Wall Mounting Information

All dimensions in mm.

Measurements using 10mm CVD Bracket Slot (add 5mm if using 15mm Slot)

	WA	D	D2
2 Column	23	54	85
3 Column	23	73	123



Testing and Operating Pressures

Henrad Compact, Henrad Everest Line and Henrad Alto Line have been independently tested to ensure radiators perform to a maximum working pressure of 8 bar.

Henrad Verona has been independently tested to ensure radiators perform to a maximum working pressure of 6 bar.

Henrad Column has been independently tested to ensure radiators perform to a maximum working pressure of 12 bar.

Connections

Henrad Compact and Henrad Everest Line have 4 x 1/2" BSP connections as standard.

Henrad Verona has 2 x 15mm connections (BOE) as standard.

Henrad Column has 1/2" BSP Top Bottom Opposite End Connections (TBOE) as standard.

Water Treatment

Installation of the system should be properly flushed and fitted in accordance with the British Code of Practice for the Treatment of Water in Domestic Hot Water Central Heating Systems.

Warranty

Henrad Compact comes with a 10 year manufacturer's guarantee.

Henrad Everest Line, Henrad Alto Line, Henrad Verona and Henrad Column come with a 5 year manufacturer's guarantee.



HENRAD

The Radiator

Henrad (UK) Limited, Marriott Road, Mexborough, South Yorkshire S64 8BN.
Telephone: 0870 849 8056 Facsimile: 0870 849 8058

HPR/50K/07/10