

Quality Gas and Electric Fires





Ekos 20" with coal fuel bed and Harmony firebox fascia in a black/brushed brass finish.





Magiglo is a leading UK manufacturer of gas fires, a position it has earned through the production of fires of the highest quality throughout the decades. Using a unique blend of innovative technologies and creative design expertise Magiglo is able to offer exceptional build quality and unrivalled realism.


The versatility of the *Magiglo* range means that you can mix and match almost any of the fronts and trims shown within to create a personalised look which truly complements your home.

Contents			
Inset Live Fuel E	ffect Ekos Accolade Aria Allusion Plus Eon Plus Affinity Plus	2/4/5 6 7 8 Cover/9 10	
Decorative Gas I	Fire Premos Duo	12 / 13 14	
Power Flue	Duo Power Affinity Power	15 11	
Balanced Flue	Tribute	16 / 17	
Flueless	Empathy	18 / 19	
Electric	Insight	20 / 21	
Custom	Gas & Electric	22 / 23	
Range of Options		24 / 25	
Installation Guide		26	
Specifications & dimensions		27	

Magiglo constantly strives for greater efficiency, to reduce energy costs and carbon footprint. The Magiglo Empathy flueless is the most efficient gas fire in the world: it is 100% efficient so of course it cannot be surpassed. The Tribute is a highly efficient balanced flue fire which boasts 83% efficiency. The Inset Live Fuel Effect (ILFE) fires are around 60% efficient. The Decorative Gas Fires (DGF's), whilst still delivering effective heat, are designed primarily for cosmetic purposes.









Ekos 16" with coal fuel bed and Harmony firebox fascia in a black/brushed stainless steel finish.

EKOS 16" and 20"

The Ekos with its attractive and stylish canopy is an efficient heating appliance that boasts superb quality and unrivalled fuel bed realism. Our unique, patented burner technology produces a whisper quiet, realistic flame picture and a stunning glowing fuel-bed.

Control options Manual, Remote, Trim Switch, Total Control.

Fuel Bed options Coal, Pebble, Beachcomber, Shoreline

Trim and Front options Any trim and front, or firebox fascia – see p24/25



Ekos 20" with pebble fuel bed, brushed stainless steel trim and Montreaux fire front in a polished finish.

Efficiency net	59%		
Fuel	NG, LPG		
Size	16"	20"	
Max input, gross	6.80	11.00	
Max input, net	6.12	9.90	
Max output	3.64	5.57	
Flue	Class 1, 2	Class 1	





Beachcomber

Shoreline



Accolade with pebble fuel bed, brushed stainless steel profile trim and Modern fire front in a polished finish.

Accolade

The Accolade is an advanced and efficient gas fire suitable for Class 2 and Pre-cast flue types. The slim-line Accolade offers a realistic flame picture and multiple styling combinations.



Control options Manual, Remote
Fuel Bed options Coal, Pebble
Trim and Front options Any trim and front, or firebox fascia
– see p24/25

Efficiency net	61.3%
Fuel	NG, LPG
Size	16"
Max input, gross	6.00
Max input, net	5.40
Max output	3.30
Flue	Class 2, Pre-cast





Aria with coal fuel bed, brushed stainless steel trim and Grecian fire front in a black/polished finish.



Aria with coal fuel bed, brass trim and Montreaux fire front in a black/brass finish.

Aria

The award-winning Aria is an efficient convector appliance designed to give significant heat output. The Aria has an incredibly hot fire core and a renowned realistic flame picture. Its patented firebox design removes the need for a canopy to provide an open view of the fuel bed and enhance the radiated heat. These Aria features earned *Magiglo* the Queen's Award for Innovation.

Control options Manual, Remote, Trim Switch, Total Control **Fuel Bed options** Coal, Pebble

Trim and Front options The Aria has a black vented frame to which any trim and front, or Harmony fascia may be added – see p24/25

55%
NG, LPG
16"
6.90
6.21
3.41
Class 1







Allusion Plus 16" with pebble fuel bed and Dimension fascia in metallic gunmetal/silver.







Allusion Plus 20" with coal fuel bed and Dimension fascia in metallic bronze/champagne.

Allusion Plus 16" and 20"

The highly efficient Allusion Plus features a two tiered Dimension fascia in Gunmetal or bronze which adds depth to the modern look of this stunning fire. The fascia design draws your eye towards the realistic fuel bed and lively flame picture, which creates a feeling of moving art within the living space.


Control options Manual, Remote, Trim Switch, Total Control Fuel Bed options Coal, Pebble, Beachcomber, Shoreline Fascia Dimension

Efficiency net	59%	
Fuel	NG, LPG	
Size	16"	20"
Max input, gross	6.80	11.00
Max input, net	6.12	9.90
Max output	3.64	5.57
Flue	Class 1, 2	Class 1





Eon Plus 16" with coal fuel bed and Piano black Quartz fascia.





Eon Plus 16" and 20"

The Eon Plus with its stunning, highly reflective Quartz piano black glass fascia is an efficient and realistic gas fire that matches looks with performance. The Quartz fascia provides the perfect contemporary setting for the magnificent glowing fuel bed. The controls can be easily accessed via the innovative gas-sprung fascia door.

Control options Manual, Remote, Trim Switch, Total Control. Fuel Bed options Coal, Pebble, Beachcomber, Shoreline Fascia Quartz

Efficiency net	59%	
Fuel	NG, LPG	
Size	16"	20"
Max input, gross	6.80	11.00
Max input, net	6.12	9.90
Max output	3.64	5.57
Flue	Class 1, 2	Class 1



Affinity Plus 16" with pebble fuel bed and Aspect black

Affinity Plus 16" and 20"

The Affinity Plus is a highly efficient heating appliance that creates a strong architectural presence in any room. The sleek, clean lines of its distinctive range of fascia provide the perfect surrounding for the whisper quiet and glowing fuel bed.

Control options Manual, Remote, Trim Switch, Total Control Fuel Bed options Coal, Pebble, Beachcomber, Shoreline

Fascia Pure, Reveal, Form (see p24) or Aspect (smoked glass or black glass) shown below.


Vertical fascia option – see picture p11



Efficiency net	59%	
Fuel	NG, LPG	
Size	16"	20"
Max input, gross	6.80	11.00
Max input, net	6.12	9.90
Max output	3.64	5.57
Flue	Class 1, 2	Class 1







Affinity Power with a coal fuel bed and Reveal fascia in a Taupe finish.







Affinity Power

The Affinity Power allows you to have the style of the Affinity Plus, but without a chimney or flue. The Affinity Power is a versatile appliance with numerous fascia options and flue configurations.

Control option Manual
Fuel Bed options Coal, Pebble
Fascia Pure or Reveal
Freedom Surround and Vertical Fascia included as standard
– see p24

Fuel	NG, LPG
Size	16"
Max input, gross	6.90
Max input, net	6.21
Max output	3.10
Eluc	Dower

Affinity Power with pebble fuel bed and pure fascia shown in a tungsten finish and contrasting vertical fascia in black.



Premos 18" thermobox shown with a beachcomber fuel bed, brushed stainless steel trim and Wave fire front in a polished finish.



Premos 16" and 18"

The hugely successful Premos offers the natural flame picture of a real fire, a stunning glowing fuel bed, ultra quiet operation, and multiple control and styling options. The Premos is available as a radiant thermobox or as a stand alone burner tray, suitable for use with Milner backs.





Premos 16" inset burner tray in a traditional Milner fireback with coal fuel bed, brass trim and a Montreaux fire front in a black/brass finish.

Control options Manual, Remote,
Trim Switch (thermobox only), Total Control
Fuel Bed options Coal, Pebble, Beachcomber, Shoreline
Trim and Front options Any trim and front, or firebox
fascia (thermobox only) – see p24/25

Fuel	NG, LPG	
Size	16"	18"
Max input, gross	6.80	9.00
Max input, net	6.12	8.10
Max output	2.58	3.42
Flue (thermobox)	Class 1, 2	Class 1
Flue (burner tray)	Class 1	Class 1












Duo with pebble fuel bed and Harmony firebox fascia in Gunmetal / brushed stainless steel finish.

Duo


The Duo offers fantastic realism and versatility. As well as offering a remarkable glowing fuel-bed and extensive styling options, the Duo can be installed in a Class 1, Class 2 or the deeper type of pre-cast flue system.



Trim and Front options Any trim and front, or firebox fascia – see p24/25

Fuel	NG, LPG
Size	16"
Max input, gross	6.90
Max input, net	6.21
Max output	3.10
Flue	Class 1, 2, Precast







Duo Power

The fan-flued Duo Power, with side or rear vent flue option, offers the same realism as the Duo without the need for a chimney.

Control options Manual, Trim Switch
Fuel Bed options Coal, Pebble
Trim and Front options Any trim and front, or firebox fascia
- see p24/25

Freedom surround – see p24
Terminal vent – see p26


Fuel	NG, LPG
Size	16"
Max input, gross	6.90
Max input, net	6.21
Max output	3.10
Flue	Power

Duo Power with pebble fuel bed, Grecian fire front in a polished finish and a brushed stainless steel profile trim.











Tribute with coal fuel bed, brass trim and a Grecian firefront in a black / brass finish.

Tribute balanced flue

New to the range, the Tribute balanced flue fire is glass fronted, completely room sealed and vents directly to an outside wall, which results in a remarkable efficiency. The Tribute offers a magnificent fuel bed and extensive styling options.

Control options Manual, Remote, Total Control Fuel Bed options Coal, Pebble Trim and Front options Any trim and front, or Harmony fascia – see p24/25




Terminal vent





Tribute with pebble fuel bed and Harmony firebox fascia in a black / brushed stainless steel finish.


















Empathy flueless

The 100% efficient Empathy is a catalytic flueless gas fire which is designed to operate without a flue. This means that all the gas is used to heat your room and none is lost up the chimney. The Empathy can be installed on any wall, with or without a fireplace opening, in almost any room with a minimum room size of 30m³. A number of styling options are offered with the impressive pebble or coal fuel bed.

Control option Manual, Remote Fuel Bed options Coal, Pebble

Trim and Front options Any trim and front, or Harmony fascia – see p24/25 – plus spacer for completely freestanding option.



Empathy with chrome profile trim and Montreaux fire front with a black / polished finish.

Efficiency net	100%
Fuel	NG, LPG
Size	16"
Input / Output	2.5
Flue	Flueless

















Insight electric

The Insight, with corresponding wide choice of styling options and coal fuel-bed, offers an exciting electric supplement to the established *Magiglo* range. Simply switch on for instant heat and effect or, in warmer weather, enjoy the homeliness of realistic flames without using heat. The 2kW fan heater is thermostatically controlled and 100% efficient at point of use.

Control option Remote with manual override

Fuel Bed Coal

Trim and Front options Any trim and front, or Harmony fascia – see p24/25

Positioning Freestanding, inset or semi-inset





Insight with Harmony firebox fascia in a gunmetal / stainless steel finish.





Custom gas fire





Did you know that *Magiglo* can manufacture bespoke gas or electric fires to the exact dimensions of your fireplace? Whether it is a tiny inset Victorian casting, a huge baronial log basket or a hand built hole-in-the-wall fire, simply contact your nearest authorised dealership and ask to see the *Magiglo* custom order sheet. This offers a wide selection of options to make the perfect fire for you.











The build quality of your Custom **gas** fire will be second to none. The burner tray is fabricated and cut by hand to the exact size by skilled craftsmen. As every fire is unique, no automated processes can be used. Once fabricated it is hand sprayed in a special paint which can withstand the high temperatures it will encounter during its life. The burner board is hand cut to fit the tray perfectly and drilled precisely to give your fire the most realistic flame possible.



If you choose a Custom **electric** fire, the tray is fabricated and sprayed in the manner described for the gas fire. The optimum number of lamps are chosen as dictated by space. If there is sufficient room each will have a spinner to give a pleasant flickering effect. The coal bed is then hand cut and moulded to suit. During assembly a switch is fitted in line with the cable so easy access is ensured. A coal or pebble effect fuel bed is then selected and finally the finished fire is tested to European standards.



After Custom electric fire



Fuel Beds

Choice of exceptional realistic fuel beds.





Pebble



Shoreline



Beachcomber

Affinity, Pure and Form fascia

To complement room decor, select the fascia from the range of colours shown. A number of different styles are available for the Affinity.



Astatine


Coal



Black



Gunmetal



Pure

Form




Quicksilver



Tungsten



Taupe



Firebox fascia

Some Magiglo fires are suitable for use with a 3-sided or 4-sided firebox fascia.

The harmony and ioss fascia shown here can completely transform a standard sized fire.



Harmony fascia Bronze / brushed brass. 16" and 20"



Harmony fascia Black / brushed brass. 16" and 20"



3-sided ioss



4-sided ioss

Freedom surround

The Freedom surround is an optional extra that creates an air pocket to increase efficiency and reduce heat transfer to the surrounding wall. It is supplied as standard with the Affinity Power.



Freedom surround



Harmony fascia Black / brushed stainless steel. 16" and 20"



Harmony fascia Gunmetal / brushed stainless steel. 16" and 20"

Fire fronts

Select a fire front to suit the style of your fireplace and room. These fire fronts are available in a variety of finishes and to suit various fire sizes.

 $\begin{array}{ll} \mbox{a - all black} & \mbox{e - chrome} \\ \mbox{b - black with brass knob} & \mbox{f - brass} \end{array}$

c - black / polished g - black / brass

d - polished



Newcross (a, f,) 16"





Blenheim (a, c, e, f, g) 16", 18", 20"



Windsor (b, c, f, g) 16"



Modern (a, d, f) 16", 18"



Grecian (a, c, g) 16"




Montreaux (b, d, f, g) 16", 18", 20"



Wave (a, d, f) 16", 18"

Trim finishes

Most floor mounted fires require a trim to complete the fireplace. Choose from the standard width trim (46mm) or the profile trim (32mm). Both are available in a variety of finishes.





Installation guide and general information

Installation

Magiglo recommends that installation of its gas products is only carried out by installers employed or recommended by a Magiglo authorised retailer. Gas installations must be carried out by a Gas Safe Register installer.

Please note – this guide is a summary. Full installation and user instructions are contained in booklets supplied with the fire and on our website – www.magiglo.co.uk

Please read installation instructions before undertaking any structural preparation work.

Ventilation

Generally, a gas fire with a gas input of 6.9kW or less does not normally require additional ventilation. A fire with a gas input of 7.0kW or more will require the installation of additional ventilation. Flueless gas fires require an air vent.

Safety

All Magiglo gas fires feature an oxygen depletion sensor that monitors the air supply in the room and automatically shuts off the fire before the oxygen supply can fall below a safe level.

Natural gas or Propane

With the exception of the Tribute balanced flue fire, all gas models are available in natural gas or propane. Due to the properties of propane the flame picture may differ slightly.

Warranty

All Magiglo fires carry a 12 month guarantee.

Control options

Manual control

The manual control incorporates an integral ignition.

Any flame height between high and low may be selected.

Trim switch control

The trim switch allows you to operate the appliance from a high level switch located on the side of the fire. Manual ignition is required.

Remote control

A remote handset is used to operate the fire. Manual ignition is required. The fire can also be operated manually.

Total control

This option provides total control of your appliance by igniting the pilot and operating the fire by remote control. The fire can also be operated manually.



Manual control valve



Trim switch



Remote control valve



Total control

Terminal vents for Duo and Affinity Power Flues

The flue for a rear vented fire extends from the rear of the appliance directly through a wall to outside air, using up to 760mm of flue duct (with optional extension).

The flue for a side vented fire can be routed up to 7 metres horizontally to outside air.

The unique design of *Magiglo* terminal vents include an internal baffle, designed to reduce nuisance fan shut-downs in adverse weather conditions and reduce back draught to the room.



Side vent terminal



Surface-mounted rear vent



Recessed rear vent terminal (for use if external space is restricted)

Inset	Depth	255	256	105	248	255	256	255	256	255	256	255	210	210	253	253	180	180	180	180	100	varies		95	
	Width at Back	313	412	242	260	313	412	313	412	313	412	313	240	290	400	450	242	242	242	400	270		Inset	290	varies
Ë	Width at Front	397	493	355	385	397	493	397	493	397	493	397	390	445	400	450	400	400	400	400	387	Va	Ë	385	va
	thgiaH	555	555	530	555	555	555	555	555	555	555	555	145	145	555	555	292	222	575	553	551			548	
Approximate Trim Size*	Midth	485	585	485	490	814	814	1066	1066	916	916	916	n/a n/a	т.	485	535	485	485	485	497	501	т.	ize	520	
	Height	580	280	580	585	624	624	684	. 684	624	624	624		n/s	580	280	280	280	280	909	609	n/a	Trim Size	610	n/a
	Fascia	•	•	•	•	•	•	•	•	•	•	•			•		•	•	•	•	•			•	
Styling	minT	•	•	•	•										•	•	•	•	•	•	•		Styling	•	
S	Front	•	•	•	•								•	•	•	•	•	•	•	•	•	•	Ş	•	•
	Shoreline	•	•			•	•	•	•	•	•		•	•	•	•									
Fuel Bed	Веасисотрег	•	•			•	•	•	•	•	•		•	•	•	•							Fuel Bed		
	Pebble	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	●NG	Fue		•
	Coal	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•
	No fireplace																				•			•	•
	Power											•						•	•						
e	Balanced																			•			ne		
Flue	Pre-cast			•													•				•		Flue	•	•
	S assiO	•		•		•		•		•					•		•				•			•	•
	l assiO	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•				•	• •		•	•
Vent	noitqO tneV oV	•		•	•	•		•		•		•	•		•		•	•	•	•		varies			
	Total	•	•		•	•	•	•	•	•	•		•	•	•	•	•			•					
Control	Trim Switch	•	•		•	•	•	•	•	•	•				•	•	•	•	0				Control		
0	Remote	•	•	•	•	•	•	•		•	•		•	•		•	•			•	•	•	0	•	۔ ا
	KW gross	0	0	0	•	0	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			_
LPG Input	tugnl niM	3.50	5.00	2.60	3.00	3.50	5.00	3.50	5.00	3.50	5.00	3.00	3.50	4.00	3.50	4.00	3.00	3.00	3.00	n/a	2.50	varies			
7 =	Max Input kW gross	6.80	10.00	5.70	6.90	6.80	10.00	6.80	10.00	6.80	10.00	6.50	6.80	8.50	6.80	8.50	6.50	6.50	6.50		2.50	>			
ont	Max Output	3.64	5.57	3.30	3.41	3.64	5.57	3.64	5.57	3.64	5.57	3.10	2.58	3.42	2.72	3.60	3.10	3.10	3.10	3.81	2.50			2.00	only
NG Input / Output	Min Input kW gross	3.50	2.00	2.60	3.00	3.50	2.00	3.50	2.00	3.50	2.00	4.00	3.50	4.00	3.50	4.00	4.00	4.00	4.00	2.30	2.50	varies	Electric	2.00	flame effect only
Inpu	Max Input kW gross	6.80	11.00	00.9	06.9	6.80	11.00	6.80	11.00	08.9	11.00	06.90	6.80	9.00	6.80	9.00	06.9	06.90	06.9	5.10	2.50			2.00	flame
	Category	_	_	_	_	_	_	_	-	_	_	٥	۵	٥	۵	٥	۵	٥	۵	ш	ш	٥		ш	ш
	Size in inches	16	20	16	16	16	20	16	20	16	20	16	16	18	د 16	c 18	16	16	16	16	16	varies		16	varies
												Ļ			mobox	mobox		>	>			Ņ			
	Model	Ekos	Ekos	Accolade	Aria	Allusion Plus	Allusion Plus	Eon Plus	Eon Plus	Affinity Plus	Affinity Plus	Affinity Power	Premos Tray	Premos Tray	Premos Thermobox	Premos Thermobox	Ono	Duo Power RV	Duo Power SV	Tribute	Empathy	Custom Gas		Insight	Custom Electric

* Different cosmetic style trims vary in size. Measurements are approximate for guidance. •NG This option is available on Natural Gas models only. I Inset Live Fuel Effect

F Flueless

O Available except where using side vent with a Freedom surround.

D Decorative Gas Fire

B Balanced Flue

E Electric

Output figures quoted are calculated under ideal test laboratory conditions. All details are for information purposes only and we reserve the right to modify any specifications without notice.



Burley Magiglo

Lands End Way

Oakham

Rutland LE15 6RB

United Kingdom

For more information or details of your nearest stockist:

Telephone +44 (0)1572 725570

Fax +44 (0)1572 724390

email: magiglo@burley.co.uk

www.magiglo.co.uk



Images remain copyright of Burley Magiglo and may not be reproduced without the permission of Burley Magiglo Marketing Department.

Because our policy is one of constant development, details may vary from those given in this publication.

