

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name: Sentinel R100 Chemical Name: Mixture.

CAS No.: EC No.: -

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s): Heat transfer fluid for solar thermal systems.

1.3 Details of the supplier of the safety data sheet

Company Identification: SENTINEL PERFORMANCE SOLUTIONS LTD

The Heath Business & Technical Park

Runcorn Cheshire WA7 4QX United Kingdom

Telephone: +44 (0) 1928 588 330 (office hours, Monday - Friday)

Fax: +44 (0) 01928 588 368

E-Mail (competent person): info.uk@sentinel-solutions.net

1.4 Emergency telephone number

Emergency Phone No. (24 h): +44 (0) 1928 588 339 (24 hours/ 7 days)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)

Not classified.

According to Directive 67/548/EEC & Directive 1999/45/EC

Not classified.

2.2.1 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictogram(s):

Signal word(s):

None.

Hazard statement(s):

Precautionary statement(s):

Supplemental Hazard Information:

None.

2.2.2 Label elements According to Directive 67/548/EEC & Directive 1999/45/EC

Hazard pictogram(s):

Hazard Symbol:

Risk Phrases:

None.

None.

Safety Phrases: S2: Keep out of the reach of children.

S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

S28: After contact with skin, wash immediately with plenty of

soap and water.

Revision: 001 Sentinel R100 Date: 01 December 2010



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

2.3 Other hazards May cause eye irritation. Repeated and/or prolonged skin contact may cause irritation. Ingestion may cause irritation of the gastrointestinal tract.

COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

EC Classification No. 1272/2008

| 20 0100011101112122000 | | | | | | | | |
|-------------------------|-------|---------|-----------|---------------------|---------------------|--|--|--|
| Hazardous ingredient(s) | %W/W | CAS No. | EC No. | EC No. REACH Hazard | | | | |
| | | | | Registration No. | hazard statement(s) | | | |
| Propane-1,2-diol | 30-50 | 57-55-6 | 200-338-0 | - | None. | | | |

EC Classification No. 67/548/EEC

| Hazardous ingredient(s) | %W/W | CAS No. | EC No. | REACH | Hazard Symbol and |
|-------------------------|-------|---------|-----------|------------------|-------------------|
| | | | | Registration No. | Risk Phrases |
| Propane-1,2-diol | 30-50 | 57-55-6 | 200-338-0 | - | None. |

FIRST AID MEASURES

4.1 Description of first aid measures

> Inhalation: Remove patient from exposure, keep warm and at rest. If

> > symptoms persist, obtain medical attention.

Skin Contact: Remove contaminated clothing immediately and drench affected

> skin with plenty of water, then wash with soap and water. If symptoms persist, obtain medical attention. Contaminated

clothing should be thoroughly cleaned.

Eye Contact: If substance has got into the eyes, immediately wash out with

plenty of water for at least 15 minutes. If symptoms persist,

obtain medical attention.

Ingestion: Do not induce vomiting. Provided the patient is conscious, wash

out mouth with water and give 200-300 ml (half a pint) of water

to drink. If symptoms persist, obtain medical attention.

4.2 Most important symptoms and effects, both

acute and delayed

May cause eye irritation. Repeated and/or prolonged skin contact may cause irritation. Ingestion may cause irritation of

the gastrointestinal tract.

Indication of the immediate medical attention 4.3

and special treatment needed

In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

FIRE-FIGHTING MEASURES

5.1 **Extinguishing media**

> Suitable Extinguishing Media: Water spray, foam, dry powder or CO2

Unsuitable Extinguishing Media: Do not use water jet.

Special hazards arising from the substance or 5.2

mixture

Thermal decomposition will evolve toxic and flammable vapours. Carbon monoxide, Carbon dioxide and Sulphur oxides.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

Sentinel R100 Date: 01 December 2010 Revision: 001

Page: 2/6



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

clothing should be worn in fire conditions. Keep fire exposed containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation. Avoid contact with skin and eyes. Avoid inhalation of vapours. Wear suitable protective clothing and gloves. (See Section: 8). Contaminated clothing should be

thoroughly cleaned.

6.2 Environmental precautions

Large spillages: Spillages or uncontrolled discharges into watercourses must be alerted to the Environment Agency or

other appropriate regulatory body.

6.3 Methods and material for containment and

cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent

material. Wash spill area with soapy water.

Reference to other sections Personal Protection: See Section: 8.

Other advice None.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure adequate ventilation. Avoid inhalation of vapours. Avoid contact with skin and eyes. Wear suitable protective clothing

and gloves. (See Section: 8).

Do not eat, drink or smoke at the work place. Wash hands and exposed skin after use. Contaminated clothing should be

thoroughly cleaned.

7.2 Conditions for safe storage, including any

incompatibilities

Keep away from heat and sources of ignition. Keep from direct sunlight. Keep away from frost. Keep only in the original

container in a cool, well-ventilated place.

7.3 Specific end use(s) Heat transfer fluid for solar thermal systems.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Source: Workplace Exposure Limit (UK HSE EH40)

| SUBSTANCE. | CAS No. | LTEL (8 hr TWA ppm) | LTEL (8 hr TWA mg/m³) | STEL (ppm) | STEL (mg/m³) | Note: |
|-------------------------------|---------|------------------------|-----------------------------|---------------|-----------------|-------|
| Propane-1,2-diol | 57-55-6 | | | | | - |
| total vapour and particulates | | 150 | 474 | - | - | |
| particulates | | ı | 10 | - | i | |

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved.

8.2.2 Personal Protection

Eye/face protection

Goggles giving complete protection to eyes. (EN 166)



Revision: 001 Sentinel R100 Date: 01 December 2010

Page: 3/6



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Skin protection Protective gloves. Nitrile rubber. (EN 374)



Respiratory protection In case of insufficient ventilation, wear suitable respiratory

equipment. (EN 141)

Other: Apron or other light protective clothing, boots and plastic or

rubber gloves.

8.2.3 Environmental Exposure Controls Avoid release to the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

 Appearance:
 Liquid.

 Colour:
 Blue.

 Odour:
 Odourless.

 Boiling Point (°C):
 104 (760 mm Hg)

 pH (Value):
 8.0-8.5 (20 °C)

 Flash Point (°C):
 None.

Specific Gravity: 1.04-1.044 (20 °C)

Solubility (Water): Miscible.

9.2 Other information No data.

10. STABILITY AND REACTIVITY

10.1 Reactivity No information available.
 10.2 Chemical stability Stable under normal conditions.
 10.3 Possibility of hazardous reactions No information available.

10.4 Conditions to avoid Keep away from heat, sources of ignition and direct sunlight.

10.5 Incompatible materials Oxidising agent.

10.6 Hazardous Decomposition Product(s) Thermal decomposition will evolve toxic and flammable

vapours. Carbon monoxide, Carbon dioxide and Sulphur oxides.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:

Ingestion: LD₅₀ (oral/rat): 19400-36000 mg/kg

Inhalation: No information available.
Skin Contact: No information available.
Eye Contact: No information available.

skin corrosion/irritationRepeated and/or prolonged skin contact may cause irritation.

Serious eye damage/irritation:May cause eye irritation.respiratory or skin sensitization:No information available.Mutagenicity:No information available.Carcinogenicity:No information available.

Revision: 001 Sentinel R100 Date: 01 December 2010

Page: 4/6



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Reproductive toxicity:

STOT-single exposure:

STOT-repeated exposure:

Aspiration hazard:

Other information:

No information available.

No information available.

No information available.

No information available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity LC₅₀ (Fish):51600 mg/l/96h

EC₅₀ (Daphnia magna): 34400 mg/l/48h

IC₅₀ (Algae): 19000 mg/l/72h

WGK:1

12.2 Persistence and degradability Readily biodegradable.

12.3 Bioaccumulative potential The product has no potential for bioaccumulation.

12.4 Mobility in soil No information available.
 12.5 Results of PBT and vPvB assessment No information available.
 12.6 Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Disposal should be in accordance with local, state or national

legislation.

1999/45/EC.

14. TRANSPORT INFORMATION

14.1 UN number Not classified according to the United Nations

'Recommendations on the Transport of Dangerous Goods'.

14.2Proper Shipping NameNone.14.3Transport hazard class(es)None.14.4Packing GroupNone.

14.5 Environmental hazards Not classified as a Marine Pollutant.

14.6 Special precautions for user None.

14.7 Transport in bulk according to Annex II of Not applicable.

MARPOL73/78 and the IBC Code

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the

substance or mixture

This Safety Data Sheet was prepared in accordance with EC Regulation (EC) No. 1907/2006., Regulation (EC) No. 1272/2008 (CLP), Directive 67/548/EEC & Directive

15.1 Chemical Safety Assessment

16. OTHER INFORMATION

Full text of Hazard statements and Risk phrases for pure substances listed in section 3.

Hazard Symbol: None. Risk Phrases: None.

The following sections contain revisions or new statements: 1-16.

Abbreviations:

CAS = Chemical Abstracts Service;

CNS = Central Nervous System;

EINECS = European Inventory of Existing Commercial Chemical Substances;

EC50 = Effective Concentration 50%;

Revision: 001 Sentinel R100 Date: 01 December 2010



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

IARC = International Agency for Research on Cancer;

IC50 = Inhibitory Concentration 50%;

LC50 = Lethal Concentration 50%;

LD50 = Lethal Dose 50%;

LTEL = Long Term Exposure Limit;

STEL = Short Term Exposure Limit;

TWA = Time Weighted Average;

References:

Disclaimer:

The information and recommendations contained herein are based upon data believed to be up-to-date and correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information and recommendations contained herein. We accept no responsibility and disclaim all liability for any harmful effects that may be caused by (incorrect) use, handling, purchase, resale, or exposure to our product. Customers and users of our product must comply with all applicable health and safety laws, regulations, and orders. In particular, they are under an obligation to carry out a risk assessment for the particular work places and to take adequate risk management measures in accordance with the national implementation legislation of EU Directives 89/391 and 98/24.

Revision: 001 Sentinel R100 Date: 01 December 2010

Page: 6/6