

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Product Name: Sentinel X100 Rapid-Dose Chemical Name: Mixture. (aqueous solution)

CAS No.: - EC No.: -

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified use(s): Corrosion and Scale Inhibitor for Central Heating Systems

1.3 Details of the supplier of the safety data sheet

Company Identification: SENTINEL PERFORMANCE SOLUTIONS LTD

The Heath Business & Technical Park

Runcorn Cheshire WA7 4QX United Kingdom

Telephone: +44 (0) 1928 588 330 (office hours, Monday - Friday)

Fax: +44 (0) 01928 588 368

E-Mail (competent person): info.uk@sentinel-solutions.net

1.4 Emergency telephone number

Emergency Phone No. (24 h): +44 (0) 1928 588 339 (24 hours/ 7 days)

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture According to Regulation (EC) No. 1272/2008 (CLP)

Not classified.

According to Directive 67/548/EEC & Directive 1999/45/EC

Not classified.

2.2.1 Label elements According to Regulation (EC) No. 1272/2008 (CLP)

Hazard pictogram(s):

Signal word(s):

None.

Hazard statement(s):

Precautionary statement(s):

Supplemental Hazard Information:

None.

2.2.2 Label elements According to Directive 67/548/EEC & Directive 1999/45/EC

Hazard pictogram(s):

Hazard Symbol:

Risk Phrases:

None.

Safety Phrases: S2: Keep out of the reach of children.

S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

S28: After contact with skin, wash immediately with plenty of

soap and water.

Revision: 001 Sentinel X100 Rapid-Dose Date: 01 December 2010

Page: 1/6



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

2.3 Other hazards

May cause eye irritation. Repeated and/or prolonged skin contact may cause irritation. Ingestion may cause irritation of the gastrointestinal tract.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixture

EC Classification No. 1272/2008

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard symbol(s) and hazard statement(s)
Sodium nitrate	1-10	7631-99-4	231-554-3	-	Ox. Sol. 3; H272 Acute Tox. 4; H302
Benzotriazole	1-10	95-14-7	202-394-1	-	Acute Tox. 4; H302 Acute Tox. 4; H332 Eye Irrit. 2; H319

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH	Hazard Symbol and
				Registration No.	Risk Phrases
Sodium nitrate	1-10	7631-99-4	231-554-3	-	O; R8
					Xn; R22
Benzotriazole	1-10	95-14-7	202-394-1	-	Xn; R20/22
					Xi; R36

(aqueous solution: Neutral.)

Revision: 001

4. FIRST AID MEASURES

4.	FIRST AID MEASURES	
4.1	Description of first aid measures Inhalation:	Remove patient from exposure, keep warm and at rest. If symptoms persist, obtain medical attention.
	Skin Contact:	Remove contaminated clothing immediately and drench affected skin with plenty of water, then wash with soap and water. If symptoms persist, obtain medical attention. Contaminated clothing should be thoroughly cleaned.
	Eye Contact:	If substance has got into the eyes, immediately wash out with plenty of water for at least 15 minutes. If symptoms persist, obtain medical attention.
	Ingestion:	Do not induce vomiting. Provided the patient is conscious, wash out mouth with water and give 200-300 ml (half a pint) of water to drink. If symptoms persist, obtain medical attention.
4.2	Most important symptoms and effects, both acute and delayed	May cause eye irritation. Repeated and/or prolonged skin contact may cause irritation. Ingestion may cause irritation of the gastrointestinal tract.
4.3	Indication of the immediate medical attention and special treatment needed	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Sentinel X100 Rapid-Dose Date: 01 December 2010

Page: 2/6



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

5. FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable Extinguishing Media: Water spray, foam, dry powder or CO2

Unsuitable Extinguishing Media: Do not use water jet.

5.2 Special hazards arising from the substance or

mixture

May give off toxic fumes in a fire. Carbon monoxide, Carbon

dioxide, Nitrogen oxides and Phosphorus compounds.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective

clothing should be worn in fire conditions. Keep fire exposed

containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and

emergency procedures

Ensure adequate ventilation. Avoid contact with skin and eyes. Avoid inhalation of vapours. Wear suitable protective clothing

and gloves. (See Section: 8). Contaminated clothing should be thoroughly cleaned.

6.2 Environmental precautions

Large spillages: Spillages or uncontrolled discharges into

watercourses must be alerted to the Environment Agency or

other appropriate regulatory body.

6.3 Methods and material for containment and

cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent

material. Wash spill area with soapy water.

6.4 Reference to other sections

Personal Protection: See Section: 8.

Other advice None.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Ensure adequate ventilation. Avoid inhalation of vapours. Avoid contact with skin and eyes. Wear suitable protective clothing

and gloves. (See Section: 8).

Do not eat, drink or smoke at the work place. Wash hands and exposed skin after use. Contaminated clothing should be

thoroughly cleaned.

7.2 Conditions for safe storage, including any

incompatibilities

Keep away from heat and sources of ignition. Keep from direct sunlight. Keep away from frost. Keep only in the original

container in a cool, well-ventilated place.

7.3 Specific end use(s) Corrosion and Scale Inhibitor for Central Heating Systems

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

No Occupational Exposure Limit assigned.

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Provide adequate ventilation, including appropriate local extraction if dusts, fumes or vapours are likely to be evolved.

8.2.2 Personal Protection

Eye/face protection

Goggles giving complete protection to eyes. (EN 166)

Revision: 001 Sentinel X100 Rapid-Dose Date: 01 December 2010

Page: 3/6



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)



Skin protection Protective gloves. Nitrile rubber. (EN 374)



Respiratory protection In case of insufficient ventilation, wear suitable respiratory

equipment. (EN 141)

(GO)

Other: Apron or other light protective clothing, boots and plastic or

rubber gloves.

8.2.3 Environmental Exposure ControlsAvoid release to the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance: Liquid. (aqueous solution)

Colour: Clear. Yellow- Amber, Greenish.

Odour: Characteristic.
Boiling Point (°C): 104 (760 mm Hg)

pH (Value): 6.2-6.6
Flash Point (°C): None.
Specific Gravity: 1.22 g/cm³
Solubility (Water): Miscible.

9.2 Other information No data.

10. STABILITY AND REACTIVITY

10.1 Reactivity No information available.
 10.2 Chemical stability Stable under normal conditions.
 10.3 Possibility of hazardous reactions No information available.

10.4 Conditions to avoid Keep away from heat, sources of ignition and direct sunlight.

10.5 Incompatible materials Oxidising agent.

10.6 Hazardous Decomposition Product(s) May give off toxic fumes in a fire. Carbon monoxide, Carbon

dioxide, Nitrogen oxides and Phosphorus compounds.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:

Ingestion:No information available.Inhalation:No information available.Skin Contact:No information available.Eye Contact:No information available.

skin corrosion/irritation: Repeated and/or prolonged skin contact may cause irritation.

Serious eye damage/irritation: May cause eye irritation.

Revision: 001 Sentinel X100 Rapid-Dose Date: 01 December 2010



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

respiratory or skin sensitization: No information available. Mutagenicity: No information available. Carcinogenicity: No information available. Reproductive toxicity: No information available. STOT-single exposure: No information available. STOT-repeated exposure: No information available. Aspiration hazard: No information available. Other information: No information available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity LC₅₀ (Fish):72 mg/l/96h (Nitric acid)

WGK:1

Persistence and degradability Readily biodegradable. 12.2

12.3 Bioaccumulative potential The product has no potential for bioaccumulation.

Mobility in soil 12.4 No information available. Results of PBT and vPvB assessment 12.5 No information available. 12.6 Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national

legislation.

14. TRANSPORT INFORMATION

14.1 **UN** number Not classified according to the United Nations

'Recommendations on the Transport of Dangerous Goods'.

14.2 Proper Shipping Name 14.3 Transport hazard class(es) None. 14.4 Packing Group None.

14.5 Environmental hazards Not classified as a Marine Pollutant.

14.6 Special precautions for user Transport in bulk according to Annex II of 14.7

MARPOL73/78 and the IBC Code

Not applicable.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the

substance or mixture

This Safety Data Sheet was prepared in accordance with EC Regulation (EC) No. 1907/2006., Regulation (EC) No. 1272/2008 (CLP), Directive 67/548/EEC & Directive 1999/45/EC.

15.1 Chemical Safety Assessment

16. OTHER INFORMATION

Full text of Hazard statements and Risk phrases for pure substances listed in section 3.

Hazard Symbol: H272: May intensify fire; oxidizer.

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

Sentinel X100 Rapid-Dose Date: 01 December 2010 Revision: 001



ACCORDING TO EC-REGULATIONS 1907/2006 (REACH) & 1272/2008 (CLP)

Risk Phrases: R8: Contact with combustible material may cause fire.

R20/22: Harmful by inhalation and if swallowed.

R22: Harmful if swallowed. R36: Irritating to eyes.

The following sections contain revisions or new statements: 1-16.

Abbreviations:

CAS = Chemical Abstracts Service;

CNS = Central Nervous System;

EINECS = European Inventory of Existing Commercial Chemical Substances;

EC50 = Effective Concentration 50%;

IARC = International Agency for Research on Cancer;

IC50 = Inhibitory Concentration 50%;

LC50 = Lethal Concentration 50%;

LD50 = Lethal Dose 50%;

LTEL = Long Term Exposure Limit;

STEL = Short Term Exposure Limit;

TWA = Time Weighted Average;

References:

Disclaimer:

Revision: 001

The information and recommendations contained herein are based upon data believed to be up-to-date and correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information and recommendations contained herein. We accept no responsibility and disclaim all liability for any harmful effects that may be caused by (incorrect) use, handling, purchase, resale, or exposure to our product. Customers and users of our product must comply with all applicable health and safety laws, regulations, and orders. In particular, they are under an obligation to carry out a risk assessment for the particular work places and to take adequate risk management measures in accordance with the national implementation legislation of EU Directives 89/391 and 98/24.

Sentinel X100 Rapid-Dose Date: 01 December 2010

Page: 6/6