


98 WH Straight Pattern





Wheelhandle Radiator Valve Straight Pattern for copper or iron **GENERAL INFORMATION**

Size	Pattern No.	Box Qty	Code	Barcode	Price (£) ex VAT
15mm / 1/2x1/2	98 WH	1	681001	5013866018053	£20.12
22mm / 3/4x3/4	98 WH	1	681004	5013866018084	£29.03
15mm / 1/2x1/2	98 CPWH	1	681007	5013866018114	£29.03
22mm / 3/4x3/4	98 CPWH	1	681010	5013866018145	£37.80



Α

Code	Description	A	В
681001	1/2-15MM 98WH BELMONT STRAIGHT RAD VALVE	105	78
681004	3/4-22MM 98WH BELMONT STRAIGHT RAD VALVE	130	83
681007	1/2-15MM 98WH CP BELMONT STRT RAD VALVE	105	78
681010	3/4-22MM 98WH CP BELMONT STRT RAD VALVE	130	83

PRESSURE & TEMPERATURE

_		Maximum Cold Working Pressure (bar)	Maximum Hot Working Pressure (bar)	
1/2-15MM 98WH BELMONT STRAIGHT RAD VALVE	No Minimum Operating Pressure	I to the second of the second	Not Suitable for Maximum Hot Working Pressure	


MATERIAL SPECIFICATIONS


Number	Component	Material
1	Body	Forged Brass Chrome Plated
2	Head	Brass Bar
3	Spindle/Valve	Brass Bar
4	Glandnut/Gland	Brass Bar
5	Adapter	Forged Brass Chrome Plated
6	Capnut	Forged Brass Chrome Plated
7	Cone	Brass
8	Set Screw	Brass
9	Wheelhead	Polypropylene

SPARES


98 WH - Size - 15mm / 1/2x1/2








98 WH - Size - 22mm / 3/4x3/4							
Spare Key	Description	Code	Barcode	Date From	Date To	Price (£) ex VAT	
1	S4 BRASS SCREW	840110	5013866058899	April 01 1994	December 31 2007	£0.68	
1	S20 SCREW (B4)	854435	5013866082474	January 01 2008	December 31 2007To Current	£0.62	
2	WH17 WHEELHANDLE (B4)	854436	5013866082481	January 01 2008	December 31 2007To CurrentTo Current	£3.20	
2	WH9 WHEELHANDLE	843001	5013866034022	April 01 1994	December 31 2007	£3.49	
3	LS34 LOCKSHIELD (B4)	854437	5013866082498	January 01 2008	December 31 2007To Current	£3.20	
3	LS22 LOCKSHIELD	843002	5013866034039	April 01 1994	December 31 2007	£3.49	
4	OR34 O RING (B4)	854438	5013866082504	January 01 2008	December 31 2007To Current	£1.79	
4	OR3 O RING (RED) DISCONTINUED	840002	5013866033940	April 01 1994	December 31 2007	£1.95	
5	SOR7 SPINDLE & O RING SET (B4)	854439	5013866082511	January 01 2008	December 31 2007To Current	£5.61	
5	SOR4 SPINDLE & O RING SET	840113	5013866058929	April 01 1994	December 31 2007	£6.12	
6	TP16 BRASS TAIL PIPE (B4)	854461	5013866084003	January 01 2008	December 31 2007To Current	£10.66	
6	TP4 BRASS TAIL PIPE	843006	5013866059162	April 01 1994	December 31 2007	£11.19	
7	TP7 BRASS TAIL PIPE	840117	5013866058950	All variations		£13.98	
8	DC5 DUST CAP	841102	5013866059063	All variations		£2.31	
9	NC8 NIPPLE & CONE (BRASS B4)	854462	5013866084010	All variations		£3.52	
9	22MM BSC103 BELMONT SHORT CONE	843016	5013866059261	April 01 1994	December 31 2007To Current	£1.02	
9	NC2 NIPPLE & CONE (BRASS)	843012	5013866059223	All variations		£3.69	
10	IN17 INDICE (BRAND PLATE B4)	854441	5013866082535	All variations		£1.32	



98 CPWH - Size - 15mm / 1/2x1/2						
Spare Key	Description	Code	Barcode	Date From	Date To	Price (£) ex VAT
1	S20 SCREW (B4)	854435	5013866082474	January 01 2008	To Current	£0.62
1	S4CP CHROME SCREW	840109	5013866058882	April 01 1994	December 31 2007	£0.78
2	WH17 WHEELHANDLE (B4)	854436	5013866082481	January 01 2008	December 31 2007To Current	£3.20
2	WH9 WHEELHANDLE	843001	5013866034022	April 01 1994	December 31 2007	£3.49
3	LS34 LOCKSHIELD (B4)	854437	5013866082498	January 01 2008	December 31 2007To Current	£3.20
3	LS22 LOCKSHIELD	843002	5013866034039	April 01 1994	December 31 2007	£3.49
4	OR34 O RING (B4)	854438	5013866082504	January 01 2008	December 31 2007To Current	£1.79
4	OR3 O RING (RED) DISCONTINUED	840002	5013866033940	April 01 1994	December 31 2007	£1.95
5	SOR7 SPINDLE & O RING SET (B4)	854439	5013866082511	January 01 2008	December 31 2007To Current	£5.61
5	SOR4 SPINDLE & O RING SET	840113	5013866058929	April 01 1994	December 31 2007	£6.12
6	TP12CP 1/2 CHROME TAIL PIPE (B4)	854430	5013866082429	January 01 2008	December 31 2007To Current	£9.01
6	TP3CP CHROME TAIL PIPE DISCONTINUED	843008	5013866059186	April 01 1994	December 31 2007	£9.85
7	TP14 DO TAIL PIPE (B4)	854440	5013866082528	All variations		£9.42
8	DC5 DUST CAP	841102	5013866059063	All variations		£2.31
9	NC1CP NIPPLE & CONE (CHROME)	843013	5013866059230	April 01 1994	December 31 2007	£2.91
9	NC5 1/2 NIPPLE & CONE (B4)	854432	5013866082443	January 01 2008	December 31 2007To Current	£2.66
10	IN17 INDICE (BRAND PLATE B4)	854441	5013866082535	All variations		£1.32



98 CPWH - Size - 22mm / 3/4x3/4							
Spare Key	Description	Code	Barcode	Date From	Date To	Price (£) ex VAT	
1	S4CP CHROME SCREW	840109	5013866058882	April 01 1994	December 31 2007	£0.78	
1	S20 SCREW (B4)	854435	5013866082474	January 01 2008	December 31 2007To Current	£0.62	
2	WH17 WHEELHANDLE (B4)	854436	5013866082481	January 01 2008	December 31 2007To CurrentTo Current	£3.20	
2	WH9 WHEELHANDLE	843001	5013866034022	April 01 1994	December 31 2007	£3.49	
3	LS34 LOCKSHIELD (B4)	854437	5013866082498	January 01 2008	December 31 2007To Current	£3.20	
3	LS22 LOCKSHIELD	843002	5013866034039	April 01 1994	December 31 2007	£3.49	
4	OR34 O RING (B4)	854438	5013866082504	January 01 2008	December 31 2007To Current	£1.79	
4	OR3 O RING (RED) DISCONTINUED	840002	5013866033940	April 01 1994	December 31 2007	£1.95	
5	SOR4 SPINDLE & O RING SET	840113	5013866058929	April 01 1994	December 31 2007	£6.12	
5	SOR7 SPINDLE & O RING SET (B4)	854439	5013866082511	January 01 2008	December 31 2007To Current	£5.61	
6	TP4CP CHROME TAIL PIPE	843009	5013866059193	April 01 1994	December 31 2007	£13.31	
6	TP13CP 3/4 CHROME TAIL PIPE (B4)	854431	5013866082436	January 01 2008	December 31 2007To Current	£9.01	
7	TP7CP CHROME TAIL PIPE	840119	5013866058967	All variations		£16.51	
8	DC5 DUST CAP	841102	5013866059063	All variations		£2.31	
9	22MM BSC103 BELMONT SHORT CONE	843016	5013866059261	April 01 1994	December 31 2007To CurrentTo Current	£1.02	
9	NC6 3/4 NIPPLE & CONE (B4)	854433	5013866082450	All variations		£2.66	
9	NC2CP NIPPLE & CONE (CHROME)	843014	5013866059247	All variations		£4.69	
10	IN17 INDICE (BRAND PLATE B4)	854441	5013866082535	January 01 2008	December 31 2007To CurrentTo Current	£1.32	

CARE & MAINTENANCE

Care

No regular aesthetic care is required for this product

Maintenance

No regular maintenance is required for this product.

For any further help please contact the Service Support Team on: 0800 1560050.

REGULATIONS

Regulations

Terrier manual radiator valves are generally approved to BS2767-10. For valves with compression connections, the connections are approved to BS EN1254-2; threaded connections comply with BS 21 or BS 2779.

They are designed for use only in an indirect open-vented or sealed water-filled central heating and/or indirect hot water system and for no other purpose.

They must be used within the pressure and temperature limits stated in the technical information table below.

Operating Conditions Maximum

System Water Temperature (at 5bar) 120°C

Operating pressure (at 65°C) 10 bar

Under no circumstances must they be used in systems containing liquids or solutions other than water. The only exception is the addition of a proprietary central heating corrosion inhibitor, cleaner or anti-freeze to the system water in accordance with the manufacturer's instructions.

Terrier heating controls are manufactured to a strict quality assurance system in accordance with ISO 9000: 2001

GUARANTEE

Thermostatic and Manual Radiator Valves

Pegler Yorkshire Customcare 5 Year Guarantee - Terms & Conditions

Products are subject to a 5 year guarantee that is between Pegler Yorkshire and the final purchaser of the product.

The guarantee is subject to proof of purchase being supplied.

This guarantee does not affect any statutory rights the consumer may have in law.

The guarantee covers manufacturing or material defects and is not applicable where the product is fitted contrary to conditions of use in our literature.

The guarantee is subject to the following limitations:

- 1. The valves are designed for use only in an indirect open-vented or sealed water-filled central heating and/or indirect hot water system and for no other purpose.
- 2. They must be used within the pressure and temperature limits stated in the technical information table below.

Operating Conditions (Maximum) System Water Temperature (at 5bar) : 120 °C Operating pressure (at 65 oC) :10 bar

- 3. Under no circumstances must they be used to in systems containing liquids or solutions other than water. The only exception is the addition of a proprietary central heating corrosion inhibitor, cleaner or anti-freeze to the system water in accordance with the manufacturer's instructions.
- 4. Damage caused by abusive behaviour and accidental damage to the product are not covered by this guarantee

The extent of Pegler Yorkshire liability is limited to the cost of the replacement of the defective item and not to fitting or consequential damages.

APPROVALS



Kitemarked BS 2767