


BAROCCO FIRE FRONT FITTING GUIDE



This guide should be read in conjunction with the installer and owner guide supplied with the fire.

This guide is intended to help you install your Barocco fire front. Please read carefully before installing. However, if further information is required, our Wonderfire Premier Technical Helpline will be pleased to help.
Telephone 0844 8711 565 (National call rates apply in the United Kingdom) In the Republic of Ireland call 0044 844 8711 565.

Important: Please keep your guide in a safe place for future reference.

© Baxi Heating U.K. Limited 2010.

INSTALLATION GUIDE

© Baxi Heating U.K. Limited 2010.

All rights reserved. No part of this publication may be reproduced in any material form (including photocopying), stored in any medium by electronic means (including in any retrieval system or database) or transmitted, in any form or by any means, whether electronic, mechanical, recording or otherwise, without the prior written permission of the copyright owner.

Applications for the copyright owner's permission to reproduce any part of this publication should be made, giving details of the proposed use, to the following address: The Company Secretary, Baxi Heating UK Limited, The Wyvern Business Park, Stanier Way, Derby, DE21 6BF.

Warning: Any person who does any unauthorised act in relation to a copyright work may be liable to criminal prosecution and civil claims for damages.



Wonderfire Premier, Wood Lane, Erdington, Birmingham B24 9QP www.wonderfire.co.uk Because our policy is one of constant development and improvement, details may vary slightly from

those given in this publication

© Baxi Heating U.K. Limited 2010.



INSTALLATION GUIDE HANDLING AND UNPACKING

Before continuing any further with the installation of this fascia please read the following:


Important instructions.

• The approximate lifting weights of the fire front components are as below:

Fire front	3.02 kg
Ash pan	1.73 kg

- One person should be sufficient to lift the fire front. If for any reason this weight is considered too heavy then obtain assistance.
- When lifting always keep your back straight. Bend your legs and not your back.
- Avoid twisting at the waist. It is better to reposition your feet.
- Avoid upper body / top heavy bending. Always bend from the knees rather than the waist. Do not lean forward or sideways whilst handling.
- Always grip with the palm of the hand. Do not use the tips of fingers for support.
- Always keep the surround as close to the body as possible. This will minimise the cantilever action.
- Use gloves to provide additional grip.
- Always use assistance if required.

CONTENTS






INSTALLATION GUIDE FITTING THE SUPPORT BRACKETS

• Carefully unpack the fire front and remove any protective film.

• Locate and secure the support brackets as in figure 2 using the four self tapping screws supplied.



FITTING THE FIRE FRONT BRACKETS

- The fire front is supplied with 2 machine screws. Locate these into the holes at the rear of the fire front (See figure 3).
- Locate the screws in the rear of the fire front into the slots in the support brackets. It may be necessary to adjust the screws to obtain the best fit.
- Place the ash pan in front of the fire front.

